



Private Duty Nursing (PDN) and Extended Home Health (EHH) Services (for Louisiana Only)

Policy Number: CS102LA.B **Effective Date**: January 1, 2025

□ Instructions for Use
Content mandated by Louisiana Department of Health

Table of Contents	Page
Application	1
Coverage Rationale	1
Nursing Acuity Scale	
<u>Definitions</u>	
Applicable Codes	
References	
Policy History/Revision Information	
Instructions for Use	

Application

This Medical Policy only applies to the state of Louisiana. The coverage rationale contained in this policy represents Louisiana Medicaid coverage policy and is set forth below in accordance with state requirements.

Coverage Rationale

Requirements for Coverage

Medical necessity for PDN (EHH) services exists when the beneficiary:

- Is categorically eligible Medicaid beneficiary birth through 20 years of age (EPSDT eligible); and
- Has been prescribed PDN (EHH) by a physician; and
- Has a medically complex condition characterized by multiple, significant medical problems that require a minimum of three (3) or more hours of skilled nursing care, in accordance with the Louisiana Nurse Practice Act (La. R.S. 37:911, et seq), per day.

If services are determined to be medically necessary, the number of hours approved will be assessed using the Private Duty Nursing Acuity Scale as guidance.

Note: PDN (EHH) services may be provided in the beneficiary's place of residence, which is defined as the place where normal life activities take place, but cannot include a hospital, intermediate care facility for individuals with intellectual disabilities, or any setting in which payment is or could be made by Medicaid for inpatient services that include room and board. (CFR § 440.70).

Coverage Limitations and Exclusions

PDN (EHH) is not considered medically necessary for respite or custodial care, which can be performed by trained non-medical personnel.

Documentation Requirements

The following documentation is required to be submitted with the prior authorization request for review:

- Prior authorization form
- Prescription for PDN (EHH):
 - Written by a physician, nurse practitioner, clinical nurse specialist, or physician assistant licensed, certified, registered, or otherwise authorized to order home healthcare services consistent with State law

Private Duty Nursing (PDN) and Extended Home Health (EHH) Services (for Louisiana Only) UnitedHealthcare Community Plan Medical Policy

Page 1 of 5 Effective 01/01/2025

- That includes the number of hours of PDN
- Documentation to substantiate medical necessity of requested services including but not limited to:
 - o Copy of physician progress notes documenting medical needs
 - Copy of hospital progress notes (if applicable)
 - Copy of discharge orders
 - Copy of discharge summary (if applicable/available)
- Plan of care signed (not required if member discharging from inpatient setting)

Nursing Acuity Scale

Skilled Nursing Needs	Points	Scor
Respiratory: Tracheostomy		
No tracheostomy, patent airway	0	
No tracheostomy, unstable airway with desaturations and airway clearance issues	1	
Tracheostomy, routine care	2	
Tracheostomy, special care (tissue breakdown, frequent tube replacements)	3	
Respiratory: Suctioning		
No suctioning	0	
Nasal/oral/pharyngeal suctioning by nurse	1	
Tracheal suctioning, 2-10x/day	2	
Tracheal suctioning, > 10x/day	3	
Respiratory: Oxygen		
No oxygen usage	0	
Oxygen, daily use	1	
Oxygen administration based upon pulse oximetry readings	1.5	
Humidification and oxygen, direct (via tracheostomy but not with ventilator)	1.5	
Respiratory: Ventilator		
No ventilator, BiPap, CPAP	0	
Ventilator < 12 hours/day	2.5	
BiPap, CPAP by nurse during shift, 8 hours or less	3	
BiPap, CPAP by nurse during shift, more than 8 hours/day	4	
Ventilator, 12-24 hours/day	5	
Ventilator, continuous 24 hours/day	10	
Respiratory: Nebulizer Treatments		
No nebulizer treatments	0	
Nebulizer treatments (by nurse) less than daily but at least 1x/week	1	
Nebulizer treatments (by nurse) every 4 hours or less often but at least daily	1.5	
Nebulizer treatments (by nurse) every 4 hours or more often	2	
Respiratory – Chest PT	·	
No chest PT, HFCWO vest or cough assist device	0	
Chest PT, HFCWO vest, cough assist 1-4x/day	2	
Chest PT, HFCWO vest, cough assist more than 4x/day	4	
Medication Needs (# of admin/shift, not # of medications); does not include O2/nebuli	zer administrati	on
Medication delivery 1 dose admin or none per shift	0	
Medication delivery 2-6 dose admin/shift	1	
Medication delivery more than 7 admin/shift	2	
IV Access	,	
No IV access	0	

National	Skilled Nursing Needs	Points	Score
Central line of port, PICC line, Hickman 2 IV Medication Administration No IV medication delivery IV medication is ses than daily but more than weekly 1 IV medication admin less than G4 hours 2 IV medication admin less than G4 hours 3 Total parenteral nutrition (TPN) 4 Bloods Draws No regular blood draws or less than 2x/week 8 Regular blood draws/IV peripheral site 2x/week 9 Regular blood fave 9	IV Access		
V Medication Administration No IV medication delivery 0 1 1 1 1 1 1 1 1 1	Peripheral IV access	1	
No IV medication delivery 0 IV mediransfusion less than daily but more than weekly 1 IV medication admin less than Q4 hours 2 IV medication admin less than Q4 hours or more often 3 Total parenteral nutrition (TPN) 4 Bloods Draws No regular blood draws or less than 2x/week 0 Regular blood draws/V peripheral site 2x/week 1 Regular blood draws/Central line 2x/week 1 Regular blood draws/Central lin	Central line of port, PICC line, Hickman	2	
No med/transfusion less than daily but more than weekly 1 1 1 1 1 1 1 1 1	IV Medication Administration		
V medication admin less than Q4 hours or more often	No IV medication delivery	0	
IV medication admin Q4 hours or more often 3 1 2 2 3 3 4 3 4 4 5 5 5 5 5 5 5 5	IV med/transfusion less than daily but more than weekly	1	
Total parenteral nutrition (TPN) 4	IV medication admin less than Q4 hours	2	
Bloods Draws No regular blood draws or less than 2x/week 0 0 Regular blood draws or less than 2x/week 1 1 1 1 1 1 1 1 1	IV medication admin Q4 hours or more often	3	
No regular blood draws or less than 2x/week Regular blood draws/IV peripheral site 2x/week Regular blood draws/Central line 2x/week Regular blood draws/Central line 2x/week Regular blood draws/Central line 2x/week Routine oral feeding or no tube-feeding required Documented difficult/prolonged oral feeding by nurse 2 Tube feeding (routine bolus or continuous) 2 Tube feeding (combination bolus and continuous) 3 Complicated tube feeding, required residual checks and aspiration precautions 3.5 Seizures Nursian sectivity 0 Mild seizures, at least daily, but no intervention 0 Mild seizures, at least daily, but no intervention 1 Moderate seizures, at least once daily requiring minimal intervention 2 Moderate seizures, at least nce daily requiring minimal intervention 2.5 Severe seizures, 10/month all requiring intervention 3.5 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day 4 VS/glucose/neuro/respiratory, assess 1x/day 5 VS/glucose/neuro/respiratory, assess at least every 4 hours 7 VS/glucose/neuro/respiratory, assess at least every 2 hours 7 Selimination Needs Continent of bowel and bladder function	Total parenteral nutrition (TPN)	4	
Regular blood draws/IV peripheral site 2x/week Regular blood draws/Central line 2x/week Nutrition Routine oral feeding or no tube-feeding required Documented difficult/prolonged oral feeding by nurse 2 Tube feeding (routine bolus or continuous) 2 Tube feeding (combination bolus and continuous) 3 Complicated tube feeding, required residual checks and aspiration precautions 3.5 Seizures Nutrition Seizures No seizures activity 0 Mild seizures, at least daily, but no intervention 0 Mild seizures, at least 4/week with each requiring minimal intervention 1 Moderate seizures, at least one daily requiring minimal intervention 2 Moderate seizures, 2-5/day with each requiring minimal intervention 3 Severe seizures, 10/month all requiring intervention 3 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3,5 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3,5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 3,5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 3,5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 4 hours 3 VS/glucose/neuro/respiratory, assess at least every 2 hours 3 Selimination Needs Continent of bowel and bladder function	Bloods Draws		
Regular blood draws/Central line 2x/week Nutrition Routine oral feeding or no tube-feeding required 0 Documented difficult/prolonged oral feeding by nurse 2 Tube feeding (routine bolus or continuous) 3 Complicated tube feeding, required residual checks and aspiration precautions 3.5 Seizures 0 No seizure activity 0 Mild seizures, at least daily, but no intervention 0 Mild seizures, at least 4/week with each requiring minimal intervention 1 Moderate seizures, at least once daily requiring minimal intervention 2 Moderate seizures, 10/month all requiring intervention 2.5 Severe seizures, 10/month all requiring intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 3.5 Assessment Needs 0 Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 1 Three or more complete assessment/shift 2 VS/glucose/neuro/respiratory, assess 1x/day 0 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1	No regular blood draws or less than 2x/week	0	
Nutrition Routine oral feeding or no tube-feeding required Documented difficult/prolonged oral feeding by nurse 2 Tube feeding (routine bolus or continuous) 2 Tube feeding (combination bolus and continuous) 3 Complicated tube feeding, required residual checks and aspiration precautions 3.5 Seizures No seizure activity 0 Mild seizures, at least daily, but no intervention 0 Mild seizures, at least 4/week with each requiring minimal intervention 1 Moderate seizures, at least once daily requiring minimal intervention 2 Severe seizures, 10/month all requiring intervention 3 Severe seizures, 11/month all requiring intervention 4 Assessment Needs Three or more complete assessment/shift 1 Second documented complete assessment/shift 1 Three or more complete assessment/sh	Regular blood draws/IV peripheral site 2x/week	1	
Routine oral feeding or no tube-feeding required Documented difficult/prolonged oral feeding by nurse 2 Tube feeding (routine bolus or continuous) Tube feeding (combination bolus and continuous) Complicated tube feeding, required residual checks and aspiration precautions Seizures No seizure activity O Mild seizures, at least daily, but no intervention Mild seizures, at least daily, but no intervention Mild seizures, at least 4/week with each requiring minimal intervention 1 Moderate seizures, 2-5/day with each requiring minimal intervention 2 Moderate seizures, 10/month all requiring intervention 3 Severe seizures, 10/month all requiring intervention 3 Severe seizures, 110/month all requiring intervention 3 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 3 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 1 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day 0 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 2 hours 3 Elimination Needs Continent of bowel and bladder function	Regular blood draws/Central line 2x/week	2	
Documented difficult/prolonged oral feeding by nurse Tube feeding (routine bolus or continuous) Tube feeding (combination bolus and continuous) Complicated tube feeding, required residual checks and aspiration precautions Seizures No seizure activity Mild seizures, at least daily, but no intervention Mild seizures, at least 4/week with each requiring minimal intervention Mild seizures, at least once daily requiring minimal intervention Moderate seizures, 2-5/day with each requiring minimal intervention Severe seizures, 10/month all requiring intervention Severe seizures, 10/month all requiring intervention 3 Severe seizures, 10/month all requiring IV/IM/rectal medication intervention 3 Severe seizures, 1/day requiring IV/IM/rectal medication intervention Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 4 hours 3 SElimination Needs Continent of bowel and bladder function	Nutrition		
Tube feeding (routine bolus or continuous) Tube feeding (combination bolus and continuous) Complicated tube feeding, required residual checks and aspiration precautions Seizures No seizure activity No seizures, at least daily, but no intervention Mild seizures, at least 4/week with each requiring minimal intervention Moderate seizures, at least once daily requiring minimal intervention Moderate seizures, 2-5/day with each requiring minimal intervention 2.5 Severe seizures, 10/month all requiring intervention 3.6 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4. Assessment Needs Initial assessment/shift 5. Cecond documented complete assessment/shift 1. Three or more complete assessment/shift 2. Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours 3. Elimination Needs Continent of bowel and bladder function	Routine oral feeding or no tube-feeding required	0	
Tube feeding (combination bolus and continuous) Complicated tube feeding, required residual checks and aspiration precautions Seizures No seizure activity No seizures, at least daily, but no intervention Mild seizures, at least 4/week with each requiring minimal intervention Moderate seizures, at least once daily requiring minimal intervention Moderate seizures, 2-5/day with each requiring minimal intervention Severe seizures, 10/month all requiring intervention Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention Severe seizures, 1/day requiring IV/IM/rectal medication intervention Assessment Needs Initial assessment/shift Second documented complete assessment/shift Three or more complete assessment/shift 1 Three or more complete assessment/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours 3 Elimination Needs Continent of bowel and bladder function	Documented difficult/prolonged oral feeding by nurse	2	
Complicated tube feeding, required residual checks and aspiration precautions Seizures No seizure activity 0 Mild seizures, at least daily, but no intervention 0 Mild seizures, at least 4/week with each requiring minimal intervention 1 Moderate seizures, at least once daily requiring minimal intervention 2 Moderate seizures, 2-5/day with each requiring minimal intervention 2.5 Severe seizures, 10/month all requiring intervention 3.5 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day 0 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 4 hours 3 Elimination Needs Continent of bowel and bladder function	Tube feeding (routine bolus or continuous)	2	
Seizures No seizure activity No seizure, at least daily, but no intervention Mild seizures, at least 4/week with each requiring minimal intervention Mild seizures, at least 4/week with each requiring minimal intervention Moderate seizures, at least once daily requiring minimal intervention Moderate seizures, 2-5/day with each requiring minimal intervention 2.5 Severe seizures, 10/month all requiring intervention 3.5 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function	Tube feeding (combination bolus and continuous)	3	
No seizure activity Mild seizures, at least daily, but no intervention Mild seizures, at least 4/week with each requiring minimal intervention Mild seizures, at least 4/week with each requiring minimal intervention Moderate seizures, at least once daily requiring minimal intervention 2 Moderate seizures, 2-5/day with each requiring minimal intervention 2.5 Severe seizures, 10/month all requiring intervention 3.5 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessments/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function	Complicated tube feeding, required residual checks and aspiration precautions	3.5	
Mild seizures, at least daily, but no intervention Mild seizures, at least 4/week with each requiring minimal intervention Moderate seizures, at least once daily requiring minimal intervention Moderate seizures, 2-5/day with each requiring minimal intervention 2.5 Severe seizures, 10/month all requiring intervention 3.5 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 11 Three or more complete assessments/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function 0	Seizures		
Mild seizures, at least 4/week with each requiring minimal intervention Moderate seizures, at least once daily requiring minimal intervention Moderate seizures, 2-5/day with each requiring minimal intervention Severe seizures, 10/month all requiring intervention Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessments/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day 0 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function	No seizure activity	0	
Moderate seizures, at least once daily requiring minimal intervention 2 Moderate seizures, 2-5/day with each requiring minimal intervention 2.5 Severe seizures, 10/month all requiring intervention 3 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs 0 Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessments/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: • VS/glucose/neuro/respiratory, assess 1x/day 0 • VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 • VS/glucose/neuro/respiratory, assess at least every 4 hours 2 • VS/glucose/neuro/respiratory, assess at least every 2 hours 3 Elimination Needs Continent of bowel and bladder function 0	Mild seizures, at least daily, but no intervention	0	
Moderate seizures, 2-5/day with each requiring minimal intervention Severe seizures, 10/month all requiring intervention 3 Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention 3.5 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day 0 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 4 hours 3 Elimination Needs Continent of bowel and bladder function	Mild seizures, at least 4/week with each requiring minimal intervention	1	
Severe seizures, 10/month all requiring intervention Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention Severe seizures, 1/day requiring IV/IM/rectal medication intervention Assessment Needs Initial assessment/shift Second documented complete assessment/shift Three or more complete assessment/shift 1 Three or more complete assessments/shift Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours 2 VS/glucose/neuro/respiratory, assess at least every 2 hours Severe seizures, 10/month all requiring IV/IM/rectal medication intervention 4 Assessment Needs Choose 1 severe assessments/shift 0 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Choose 1 severe assessments/shift 0 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Choose 1 severe assessments/shift 0 Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Choose 1 severe assessments/shift 0 Second documented complete assessment/shift 1 Three or more complete assessment/shift 1 Choose 1 severe assessment/shift 2 Assessment Needs VS/glucose/neuro/respiratory, assess 1k-day VS/glucose/neuro/respiratory, assess at least every 2 hours 3 Elimination Needs Continent of bowel and bladder function	Moderate seizures, at least once daily requiring minimal intervention	2	
Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention Severe seizures, 1/day requiring IV/IM/rectal medication intervention 4 Assessment Needs Initial assessment/shift Second documented complete assessment/shift Three or more complete assessment/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours Selimination Needs Continent of bowel and bladder function	Moderate seizures, 2-5/day with each requiring minimal intervention	2.5	
Severe seizures, 1/day requiring IV/IM/rectal medication intervention Assessment Needs Initial assessment/shift Second documented complete assessment/shift Three or more complete assessments/shift Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours Selimination Needs Continent of bowel and bladder function O	Severe seizures, 10/month all requiring intervention	3	
Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessments/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day 0 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 2 hours 3 Elimination Needs Continent of bowel and bladder function 0	Severe seizures, at least 1x/day requiring IV/IM/rectal medication intervention	3.5	
Initial assessment/shift 0 Second documented complete assessment/shift 1 Three or more complete assessments/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: • VS/glucose/neuro/respiratory, assess 1x/day 0 • VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 • VS/glucose/neuro/respiratory, assess at least every 4 hours 2 • VS/glucose/neuro/respiratory, assess at least every 4 hours 3 Elimination Needs Continent of bowel and bladder function 0	Severe seizures, 1/day requiring IV/IM/rectal medication intervention	4	
Second documented complete assessment/shift Three or more complete assessments/shift Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours Selimination Needs Continent of bowel and bladder function	Assessment Needs		
Three or more complete assessments/shift 2 Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: VS/glucose/neuro/respiratory, assess 1x/day 0 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours 1 VS/glucose/neuro/respiratory, assess at least every 4 hours 2 VS/glucose/neuro/respiratory, assess at least every 4 hours 3 Elimination Needs Continent of bowel and bladder function 0	Initial assessment/shift	0	
Assessment Needs Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: • VS/glucose/neuro/respiratory, assess 1x/day • VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours • VS/glucose/neuro/respiratory, assess at least every 4 hours • VS/glucose/neuro/respiratory, assess at least every 4 hours • VS/glucose/neuro/respiratory, assess at least every 2 hours 5 Elimination Needs Continent of bowel and bladder function 0	Second documented complete assessment/shift	1	
Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented: • VS/glucose/neuro/respiratory, assess 1x/day • VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours • VS/glucose/neuro/respiratory, assess at least every 4 hours • VS/glucose/neuro/respiratory, assess at least every 2 hours • VS/glucose/neuro/respiratory, assess at least every 2 hours • Continent of bowel and bladder function • O	Three or more complete assessments/shift	2	
 VS/glucose/neuro/respiratory, assess 1x/day VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function 	Assessment Needs		
 VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function 	Choose 1 score if at least 2 of the 4 (VS/glucose/neuro/respiratory) are ordered and documented	d:	
 VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function 	VS/glucose/neuro/respiratory, assess 1x/day	0	
 VS/glucose/neuro/respiratory, assess at least every 4 hours VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function 	VS/glucose/neuro/respiratory, assess 1x/shift or less often than every 4 hours	1	
 VS/glucose/neuro/respiratory, assess at least every 2 hours Elimination Needs Continent of bowel and bladder function 	VS/glucose/neuro/respiratory, assess at least every 4 hours	2	
Elimination Needs Continent of bowel and bladder function 0		3	
	· · · · · · · · · · · · · · · · · · ·	·	
Uncontrolled incontinence but < 3 yrs. of age 0	Continent of bowel and bladder function	0	
Uncontrolled incontinence, either bowel or bladder > 3 yrs. of age			
Uncontrolled incontinence, both bowel and bladder 3 yrs. of age	· · ·	2	
Incontinence and intermittent straight catheterization, indwelling, suprapubic, or condom catheter	Incontinence and intermittent straight catheterization, indwelling, suprapubic, or condom		

Skilled Nursing Needs	Points	Score
Elimination Needs		
Ostomy care, bowel, or bladder	3	
Peritoneal dialysis, performed by nurse	3	
Wound Care		
None of the options below apply	0	
Wound vac	2	
Stage 1-2, wound care at least daily (including tracheostomy, G/J tube site)	2	
Stage 3-4, multiple wound sites	3	
Therapies		
Passive range of motion at least every shift	1	
Splinting schedule requires nurse to remove/replace every shift	1	
Splinting schedule requires nurse to remove/replace at least 2x/shift	2	
Issues Interfering with Care		
Unwilling or unable to cooperate	1	
Weight > 100 lbs or immobility increases care difficulty	1	
Unable to express needs and wants	1	
Member's Total Score		

Scoring Instructions	
Scale	Acuity Level (based on score)
15-25 points = 4-8 hours/day, up to 56 hours/week	
26-35 points = 8-12 hours/day, up to 84 hours/week	
36-45 points = 12-16 hours/day, up to 112 hours/week	
46-55 points = 16-20 hours/day, up to 140 hours/week	
Provider Requested Hour	's

Definitions

Private Duty Nursing (PDN)/Extended Home Health (EHH): Home health nursing services provided for a minimum of three or more hours per day that are provided to beneficiaries under the age of 21 if determined to be medically necessary, ordered by a physician, and prior authorized.

Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by federal, state, or contractual requirements and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies and Guidelines may apply.

HCPCS Code	Description
PDN (EHH) services require prior authorization using HCPCS code S9123, S9124, or T1000 and will be reviewed for service period of up to 60 calendar days.	
S9123	Nursing care, in the Home; by registered nurse, per hour
S9124	Nursing care, in the Home; by licensed practical nurse, per hour
*T1000	Private duty/independent nursing service(s) – licensed, up to 15 minutes
T1001	Nursing assessment/evaluation

Codes labeled with an asterisk (*) are not on the State of Louisiana Medicaid Fee Schedule and therefore may not be covered by the State of Louisiana Medicaid Program.

References

Code of Federal Regulations (CFR). Home health services. 42 CFR 440.70. Available at: https://www.ecfr.gov/current/title-42/chapter-IV/subchapter-C/part-440/subpart-A. Accessed June 14, 2024.

Louisiana Department of Health Home Health Provider Manual: Chapter Twenty-Three of the Medicaid Services Manual; Section 23.1 and 23.5 – Extended Home Health. Available at:

https://www.lamedicaid.com/provweb1/Providermanuals/manuals/HH/HH.pdf. Accessed June 14, 2024.

Policy History/Revision Information

Date	Summary of Changes
01/01/2025	Routine review; no change to coverage guidelines
	 Archived previous policy version CS102LA.A

Instructions for Use

This Medical Policy provides assistance in interpreting UnitedHealthcare standard benefit plans. When deciding coverage, the federal, state or contractual requirements for benefit plan coverage must be referenced as the terms of the federal, state or contractual requirements for benefit plan coverage may differ from the standard benefit plan. In the event of a conflict, the federal, state or contractual requirements for benefit plan coverage govern. Before using this policy, please check the federal, state or contractual requirements for benefit plan coverage. UnitedHealthcare reserves the right to modify its Policies and Guidelines as necessary. This Medical Policy is provided for informational purposes. It does not constitute medical advice.

UnitedHealthcare may also use tools developed by third parties, such as the InterQual[®] criteria, to assist us in administering health benefits. The UnitedHealthcare Medical Policies are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.