

Office-Based Procedures – Site of Service

Policy Number: SURGERY 107.20
Effective Date: January 1, 2025

[➔ Instructions for Use](#)

Table of Contents	Page
Coverage Rationale	1
Medical Records Documentation Used for Reviews	1
Applicable Codes	2
Clinical Evidence	3
References	3
Policy History/Revision Information	4
Instructions for Use	4

Related Policies

- [Ablative Treatment for Spinal Pain](#)
- [Epidural Steroid Injections for Spinal Pain](#)
- [Facet Joint and Medial Branch Block Injections for Spinal Pain](#)
- [Occipital Nerve Injections and Ablation \(Including Occipital Neuralgia and Headache\)](#)

Coverage Rationale

Oxford members may choose to receive surgical procedures in an office setting or other locations. We are conducting site of service medical necessity reviews, however, to determine whether the ambulatory surgical center (ASC) is medically necessary, in accordance with the terms of the member's benefit plan. If the ambulatory surgical center is not considered medically necessary, this location will not be covered under the member's benefit plan.

Certain elective procedures performed in an ambulatory surgical center are considered medically necessary for an individual who meets any of the following criteria:

- Allergy to local anesthetic
- Bleeding disorder that would cause a significant risk of morbidity
- Developmental stage or cognitive status warranting use of an ambulatory surgical center
- Failed office-based procedure attempts due to body habitus, abnormal anatomy, or technical difficulties
- Presence of complications and comorbid disease that would cause office-based procedure to be unsafe or unsuitable

An elective surgical procedure performed in an ambulatory surgical center is considered medically necessary if there is an inability to access an office setting for the procedure due to the following:

- There is no geographically accessible office that has the necessary equipment for the procedure [examples include but are not limited to fluoroscopy, laser, ocular equipment, operating microscope, nonstandard scopes required to perform specialized procedures (i.e., duodenoscope, ureteroscopy)*]; or
- There is no geographically accessible in-network provider

***Note:** This specifically excludes surgeon preferred or proprietary instruments, instrument sets, or hardware sets.

Elective Procedures List

Prior authorization is required for procedures listed in the [Applicable Codes](#) section if not performed in an office setting.

Medical Records Documentation Used for Reviews

Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. Medical records documentation may be required to assess whether the member meets the clinical criteria for coverage but does not guarantee coverage of the service requested; refer to the protocol titled [Medical Records Documentation Used for Reviews](#).

Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies may apply.

CPT Code	Description
Dermatology	
11402	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 1.1 to 2.0 cm
11403	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 2.1 to 3.0 cm
11404	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 3.1 to 4.0 cm
11406	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter over 4.0 cm
11420	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.5 cm or less
11421	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.6 to 1.0 cm
11422	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 1.1 to 2.0 cm
11423	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 2.1 to 3.0 cm
11424	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 3.1 to 4.0 cm
11426	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter over 4.0 cm
11442	Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 1.1 to 2.0 cm
General Surgery	
19000	Puncture aspiration of cyst of breast;
Muscular/Skeletal	
20552	Injection(s); single or multiple trigger point(s), 1 or 2 muscle(s)
20553	Injection(s); single or multiple trigger point(s), 3 or more muscles
27096	Injection procedure for sacroiliac joint, anesthetic/steroid, with image guidance (fluoroscopy or CT) including arthrography when performed
64479	Injection(s), anesthetic agent(s) and/or steroid; transforaminal epidural, with imaging guidance (fluoroscopy or CT), cervical or thoracic, single level
64490	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; single level
64493	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; single level
Neurologic	
62270	Spinal puncture, lumbar, diagnostic
62321	Injection(s), of diagnostic or therapeutic substance(s) (e.g., anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (i.e., fluoroscopy or CT)

CPT Code	Description
Neurologic	
64633	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); cervical or thoracic, single facet joint
64635	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); lumbar or sacral, single facet joint
Obstetrics & Gynecology	
57460	Colposcopy of the cervix including upper/adjacent vagina; with loop electrode biopsy(s) of the cervix
Respiratory	
31579	Laryngoscopy, flexible or rigid telescopic, with stroboscopy (only flexible to be performed in office setting)

CPT® is a registered trademark of the American Medical Association

Clinical Evidence

American College of Surgeons (ACS)

The ACS Patient Safety Principles for Office-Based Surgery Principles included the following:

- Physicians should select patients by criteria, including the ASA Patient Selection Physical Status Classification System.
- Physicians performing office-based surgery must have admitting privileges at a nearby hospital, or a transfer agreement with another physician who has admitting privileges at a nearby hospital or maintain an emergency transfer agreement with a nearby hospital.
- Physicians performing office-based surgery must obtain and maintain board certification.
- Physicians performing office-based surgery may show competency by maintaining core privileges at an accredited or licensed hospital or ambulatory surgical center for the procedures they perform in the office setting.
- At least one physician, who is credentialed or currently recognized as having successfully completed a course in advanced resuscitative techniques (ATLS®, ACLS, or PALS), must be present or immediately available with age and size-appropriate resuscitative equipment.
- Physicians administering or supervising moderate sedation/analgesia, deep sedation/analgesia, or general anesthesia should have appropriate education and training.

(ACS, 2003)

American College of Surgeons (ACS) and American Society of Anesthesiologists (ASA)

In a 2019 ACS statement on patient safety principles for office-based surgery utilizing moderate sedation/analgesia and a 2019 ASA guideline for office-based anesthesia the following recommendations on patient and procedure selection were made:

- The anesthesiologist should be satisfied that the procedure to be undertaken is within the scope of practice of the health care practitioners and the capabilities of the facility.
- The procedure should be of a duration and degree of complexity that will permit the patient to recover and be discharged from the facility.
- Individual who by reason of pre-existing medical or other conditions may be at undue risk for complications should be referred to an appropriate facility for performance of the procedure and the administration of anesthesia.

(ASC, 2019 and ASA, 2019)

References

The foregoing Oxford policy has been adapted from an existing UnitedHealthcare national policy that was researched, developed and approved by UnitedHealthcare Medical Technology Assessment Committee. [MP.12.17]

American College of Surgeons. Patient safety principles for office-based surgery. March 17, 2003.

American College of Surgeons (ACS). Statement on patient safety principles for office-based surgery utilizing moderate sedation/analgesia. September 1, 2019.

American Society of American Society of Anesthesiologists. Guidelines for office-based anesthesia. October 21, 2009. Amended on October 23, 2019.

Policy History/Revision Information

Date	Summary of Changes
01/01/2025	<p data-bbox="337 201 1468 268">Medical Records Documentation Used for Reviews (<i>previously titled Documentation Requirements</i>)</p> <ul data-bbox="337 268 1430 331" style="list-style-type: none"><li data-bbox="337 268 1430 331">• Replaced list of <i>Required Clinical Information</i> with instruction to refer to the protocol titled Medical Records Documentation Used for Reviews <p data-bbox="337 331 662 369">Supporting Information</p> <ul data-bbox="337 369 992 403" style="list-style-type: none"><li data-bbox="337 369 992 403">• Archived previous policy version SURGERY 107.19

Instructions for Use

This Clinical Policy provides assistance in interpreting UnitedHealthcare Oxford standard benefit plans. When deciding coverage, the member specific benefit plan document must be referenced as the terms of the member specific benefit plan may differ from the standard plan. In the event of a conflict, the member specific benefit plan document governs. Before using this policy, please check the member specific benefit plan document and any applicable federal or state mandates. UnitedHealthcare Oxford reserves the right to modify its Policies as necessary. This Clinical Policy is provided for informational purposes. It does not constitute medical advice.

The term Oxford includes Oxford Health Plans, LLC and all of its subsidiaries as appropriate for these policies. Unless otherwise stated, Oxford policies do not apply to Medicare Advantage members.

UnitedHealthcare may also use tools developed by third parties, such as the InterQual® criteria, to assist us in administering health benefits. UnitedHealthcare Oxford Clinical Policies are intended to be used in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice.