

COMMONWEALTH OF VIRGINIA DEPARTMENT OF MEDICAL ASSISTANCE SERVICES Service Authorization (SA) Form

HEREDITARY ANGIOEDEMA (HAE) MEDICATIONS

If the following information is not complete, correct, or legible, the SA process can be delayed.

Please use one form per member.

MEMBER INFORMATION	
Last Name:	First Name:
Medicaid ID Number:	Date of Birth:
Gender: Male Female	Weight in Kilograms:
PRESCRIBER INFORMATION	
Last Name:	First Name:
NPI Number:	
Phone Number:	Fax Number:
DRUG INFORMATION	
Preferred Medications (Quantity Limits):	
Preferred Medications (Quantity Limits).	
Cinryze®: 20 vials per 34 days	☐ Berinert®: 4 vials per attack (plus 4 for emergency)
Cinryze®: 20 vials per 34 days	Berinert®: 4 vials per attack (plus 4 for emergency) Sajazir™: 1 dose per attack (plus 1 for emergency)
Cinryze®: 20 vials per 34 days	Sajazir™: 1 dose per attack (plus 1 for emergency)
☐ Cinryze®: 20 vials per 34 days ☐ icatibant: 1 dose per attack (plus 1 for emergency)	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional
☐ Cinryze®: 20 vials per 34 days ☐ icatibant: 1 dose per attack (plus 1 for emergency) ☐ Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional
☐ Cinryze®: 20 vials per 34 days ☐ icatibant: 1 dose per attack (plus 1 for emergency) ☐ Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul with appropriate medical support to manage anaphy	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional
Cinryze®: 20 vials per 34 days icatibant: 1 dose per attack (plus 1 for emergency) Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul with appropriate medical support to manage anaphy	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional ylaxis and hereditary angioedema. Orladeyo®: 34 capsules per 34 days
☐ Cinryze®: 20 vials per 34 days ☐ icatibant: 1 dose per attack (plus 1 for emergency) ☐ Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul with appropriate medical support to manage anaphy Non-Preferred Medications (Quantity Limits): ☐ Firazyr®: 1 dose per attack (plus 1 for emergency)	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional ylaxis and hereditary angioedema. □ Orladeyo®: 34 capsules per 34 days y) □ Takhzyro®: 2 vials per 28 days
☐ Cinryze®: 20 vials per 34 days ☐ icatibant: 1 dose per attack (plus 1 for emergency) ☐ Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul with appropriate medical support to manage anaphy Non-Preferred Medications (Quantity Limits): ☐ Firazyr®: 1 dose per attack (plus 1 for emergency) ☐ Ruconest®: 2 vials per attack (plus 2 for emergency)	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional ylaxis and hereditary angioedema. Orladeyo®: 34 capsules per 34 days y) Takhzyro®: 2 vials per 28 days and 3,000 IU SDV kit (8 kits per 28 days)
☐ Cinryze®: 20 vials per 34 days ☐ icatibant: 1 dose per attack (plus 1 for emergency) ☐ Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul with appropriate medical support to manage anaphy Non-Preferred Medications (Quantity Limits): ☐ Firazyr®: 1 dose per attack (plus 1 for emergency) ☐ Ruconest®: 2 vials per attack (plus 2 for emergency) ☐ Haegarda®: 2,000 IU SDV kit (16 kits per 28 days) and prug Name/Form: ☐ Drug Name/Form:	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional ylaxis and hereditary angioedema. Orladeyo®: 34 capsules per 34 days y) Takhzyro®: 2 vials per 28 days and 3,000 IU SDV kit (8 kits per 28 days)
Cinryze®: 20 vials per 34 days icatibant: 1 dose per attack (plus 1 for emergency) Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul with appropriate medical support to manage anaphy Non-Preferred Medications (Quantity Limits): Firazyr®: 1 dose per attack (plus 1 for emergency) Ruconest®: 2 vials per attack (plus 2 for emergence) Haegarda®: 2,000 IU SDV kit (16 kits per 28 days) and prug Name/Form: Strength:	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional ylaxis and hereditary angioedema. Orladeyo®: 34 capsules per 34 days y) Takhzyro®: 2 vials per 28 days and 3,000 IU SDV kit (8 kits per 28 days)
Cinryze®: 20 vials per 34 days icatibant: 1 dose per attack (plus 1 for emergency) Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul with appropriate medical support to manage anaphy Non-Preferred Medications (Quantity Limits): Firazyr®: 1 dose per attack (plus 1 for emergency) Ruconest®: 2 vials per attack (plus 2 for emergence) Haegarda®: 2,000 IU SDV kit (16 kits per 28 days) and the series of the serie	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional ylaxis and hereditary angioedema. Orladeyo®: 34 capsules per 34 days y) Takhzyro®: 2 vials per 28 days and 3,000 IU SDV kit (8 kits per 28 days)
Cinryze®: 20 vials per 34 days icatibant: 1 dose per attack (plus 1 for emergency) Kalbitor®: 3 vials per attack (plus 3 for emergency) Because of the risk of anaphylaxis, KALBITOR® shoul with appropriate medical support to manage anaphy Non-Preferred Medications (Quantity Limits): Firazyr®: 1 dose per attack (plus 1 for emergency) Ruconest®: 2 vials per attack (plus 2 for emergence) Haegarda®: 2,000 IU SDV kit (16 kits per 28 days) and prug Name/Form: Strength:	Sajazir™: 1 dose per attack (plus 1 for emergency)) (see Black Box warning below) d only be administered by a healthcare professional ylaxis and hereditary angioedema. Orladeyo®: 34 capsules per 34 days y) Takhzyro®: 2 vials per 28 days and 3,000 IU SDV kit (8 kits per 28 days)

(Form continued on next page.)

Virginia DMAS SA Form: Hereditary Angioedema (HAE) Medications

Member's Last Name:	Member's First Name:
DIAGNOSIS AND MEDICAL INFORMAT	ION
 Has the recipient's diagnosis of HAE b (type 1 or 2 HAE) as documented by o 	een confirmed by C1 inhibitor (C1-INh) deficiency or dysfunction one of the following:
 C1-INh antigenic level below the 	lower limit of normal; OR
 C1-INh functional level below th 	e lower limit of normal?
Yes No	
2. Was the medication prescribed by, or pulmonology, or medical genetics?	in consultation with, a specialist in allergy, immunology, hematology
Yes No	
TREATMENT OF ACUTE HAE ATTACKS	
Berinert® (C1 esterase inhibitor), Firazyr® inhibitor), Sajazir™ (icatibant)	(icatibant), icatibant, Kalbitor® (ecallantide), Ruconest® (C1 esterase
 Will the requested medication be use Yes No 	d as mono therapy to treat acute HAE attacks?
PROPHYLAXIS OF HAE ATTACKS	
Cinryze® (C1 esterase inhibitor), Haegarda (ianadelumab-flyo)	a® (C1 estarase inhibitor), Orladeyo® (berotralstat), Takhzyro®
1. Will the requested medication be use	d for prophylaxis of HAE attacks?
Yes No	
Prescriber Signature (Required)	
By signature, the physician confirms the a	above information is accurate and verifiable by member records.
	n; incomplete forms will delay the SA process. The process of the Department of Medical Assistance
Fax this form to 1-866-940-7328	

Pharmacy PA call center: 1-800-310-6826