



Standard Companion Guide

Refers to the Implementation Guide

Based on X12 Version 005010X216

**Health Care Services Review
Notification and Acknowledgment
(278N)**

Companion Guide Version Number 8.1

Septemeber 5, 2024

CHANGE LOG

Version	Release Date	Changes
1.0		Initial External Release
2.0	2/1/2011	Updated the Error code and Interpretations table by adding 95N to Loop 2010D and 51C to 2010E while changing 41N from Loop 2010E to Lop 2010EA.
2.5	2/25/2011	Addition of HCR03 messages for AAA03 values of 15 & 33 (Loops 2000E, 2000F) in the Error Code and Interpretations table.
2.6	03/25/2011	Added the need to provide at least one procedure code when UM03=Surgical.
2.7	04/14/2011	Removed the need to provide at least one procedure code when UM03=Surgical
2.8	09/14/2011	<ul style="list-style-type: none"> ▪ Update made to the 2000E loop for duplicate responses. The value in the HCR01 element changed from A3 to NA. ▪ A chart was created to display valid UM03/UM04 values. Please note the UM03 Newborn baby value of 65 is no longer valid and Chemotherapy 78 has been added. ▪ Element REF01 in loop 2010C can now be populated with the values of 1L & IG; Element HSD01 in loop 2000E being requested by UnitedHealthcare. ▪ Element HSD01 in loop 2000E can now be populated with the value of DY. ▪ Section 10.4 error codes and interpretations have been updated, please refer to the MSG segment for information on why the transaction has been rejected. <ul style="list-style-type: none"> • New (loop, AAA03/AAA04) <ul style="list-style-type: none"> – 2000A 41/N – 2010A 46/C – 2010A 51/C – 2010C 67/N – 2010C 68/C – 2010D 68/C – 2000E 57/C – 2010E 15/C – 2010E 41/N – 2000F 33/N – 2000F T5/C – 2010F 15/C – 2010F 46/C ▪ Section 10.4 error codes and interpretations have been updated, please refer to the MSG segment for information on why the transaction has been rejected. <ul style="list-style-type: none"> • New (loop, AAA03/AAA04) <ul style="list-style-type: none"> – 2000A 41/N – 2010A 46/C – 2010A 51/C – 2010C 67/N – 2010C 68/C – 2010D 68/C

		<ul style="list-style-type: none"> - 2010A 51/C - 2010C 67/N - 2010C 68/C - 2010D 68/C - 2000E 57/C - 2010E 15/C - 2010E 41/N - 2000F 33/N - 2000F T5/C - 2010F 15/C - 2010F 46/C • Eliminated <ul style="list-style-type: none"> - 2000A 42/Y - 2010B 41/N (moved to Loop 2010A) - 2010E 51/C (moved to Loop 2010A) - 2010EA 15/C (moved to Loop 2010E) - 2010EA 33/C (moved to Loop 2010E) - 2010EA 41/N (moved to Loop 2010E) - 2000F 62/C • Modified <ul style="list-style-type: none"> - 2010B 79/P (changed to 79/N) - 2010FA 47/C
2.9	12/8/2011	<p>Section 1.2</p> <ul style="list-style-type: none"> • Overview has been updated with TA1 information. <p>Section 3</p> <ul style="list-style-type: none"> • Connectivity with the Payer/Communication has been updated with TA1 information. <p>Section 6 – Payer specific business rules and limitations updated with:</p> <ul style="list-style-type: none"> • Discharge Location Information/Codes (Loop 2000E MSG Segment) <ul style="list-style-type: none"> - Guidelines in determining the Level of Service (Loop 2000E UM06 segment) for a 278 Notification Submission. <p>Section 6.3 – Response tracking numbers</p> <ul style="list-style-type: none"> • Updated definition for ARN <p>Section 6.5</p> <ul style="list-style-type: none"> • Update processing with Discharge Location information <p>Section 7.1</p> <ul style="list-style-type: none"> - Acknowledgment has been updated with TA1 information.

		<p>Section 9.2 – Inpatient admission notification data elements table updated with codes:</p> <ul style="list-style-type: none"> • ISA14: Removed row that addressed non-support of TA1. • 2000E/DTP: Updated with note regarding age of Estimated vs Actual discharge date. • 2000E/MSG: Updated with note regarding Discharge Location. If 2000E DTP Discharge Date (DTP = 096) is present, a discharge location is required. The discharge location should be submitted in Loop 2000E MSG01 segment. The text in the MSG01 segment must begin with “DC=” followed by one of the discharge location codes: <ul style="list-style-type: none"> – 4: Comprehensive Inpatient Rehabilitation Facility – 11: Home with Home Care and/or DME – 12: Home/Against Medical Advice – 13: Hospice – 15: Inpatient Hospital – 16: Inpatient Psychiatric Facility – 19: Military Treatment Facility – 20: Expired – 21: No Services/Home – 26: Skilled Nursing Facility • 2010F/NM102 qualifier must = 1 if this Loop is submitted • Please note regarding the Inpatient Admission Notification Data Elements table, these requirements have always been in place and were not systematically enforced until the 9/28/2011 release. <p>Section 10.3 – Business and Transaction Examples</p> <ul style="list-style-type: none"> • Updated Case #8 with Discharge Location MSG segment <p>Section 10.4 – Error codes and interpretations table</p> <ul style="list-style-type: none"> • The following Loops and Error codes have been removed: <ul style="list-style-type: none"> – AAA03=15 Loop 2010F – AAA03=33 Loop 2010F
3.0	1/10/2012	<p>Section 9.2 – Inpatient Admission Notification Data Elements table updated with the following codes:</p> <ul style="list-style-type: none"> • GS05: Added requirement for time as HHMM or HHMMSS.

3.0	5/14/2012	<p>Section 10.3 – Business and Transaction Examples</p> <ul style="list-style-type: none"> Case 3 split into 3a and 3b to show examples of different types of blocking scenarios. <p>Section 10.4 Error Codes and Interpretations</p> <ul style="list-style-type: none"> Added the following error codes related to blocking: <ul style="list-style-type: none"> AAA03=33: Loop 2000E AAA03=33: Loop 2000F <p>Section 10.6 HCR03 Message Table</p> <ul style="list-style-type: none"> Added IMPORTANT NOTE: The time out response will be sent back in batch mode, therefore, anyone setting up a 278 notification real-time transaction will need to set up a batch connection also. <p>Section 9.1 – Data Element Grid</p> <ul style="list-style-type: none"> Added HI03 through HI12 information in the 2000E loop <p>Section 10.4 – Error Codes and Interpretations</p> <ul style="list-style-type: none"> This is a new section to show the new HCR03 messages for blocking.
4.0	8/3/2015	<ul style="list-style-type: none"> Removed all references to “direct connections” and “Connectivity Director” in the following sections: <ul style="list-style-type: none"> 2.1, 2.2, 2.4, 3.1, 3.3 3.4, 3.5, 8, 9.2, 10.1 and 10.2 Changed effective date for ICD-10 on #17 FAQ under section 10.5 to Section 2.2 Trading Partner Registration Removed “the OptumInsight HIN Sales Team at 800-341-6141” Added Contact iEDI Sales Team
5.0	1/6/2017	<p>Section 9.2 – Inpatient Admission Notification Data Elements</p> <ul style="list-style-type: none"> ISA08 Supported Code 9080111864 removed GS03 Element 9080111864 removed <p>Section 10.3 Business and Transaction Examples</p> <ul style="list-style-type: none"> Case 6: removed Decision Reason HCR*CT removed explanation <p>Section 10.4 – Error Codes and Interpretations</p> <ul style="list-style-type: none"> Following error code interpretations have been updated to “Refer to Implementation Guide”: <ul style="list-style-type: none"> 2010A 43/C, 44/C, 46/C 47/C 2010B 42/Y 2010C 58/C, 64/C, 65/C 67/C, 68/C, 71/C, 72/C, 73/C, 76/C, 78/N, 95/N 2010D 58/C, 65/C, 67/N, 68/C, 95/N 2000E 57/C, 60/C 84/C, AF/C, AH/C, AM/C, AN/c 2010E 43/C, 44/C, 46/C 47/C 2000F 57/C, 60/C, AG/C 2010F 43/C, 44/C, 46/C 47/C
5.1	11/28/2017	<p>Updated UnitedHealthcare and Optum contact information, including hyperlinks to online resources; Reviewed document in detail, updating as needed.</p>
6.0	10/18/2019	<p>Review to update document dates</p>

7.0	10/13/2020	<p>Section 6.2 – Service Type (UM03) and Place of Service (UM04) Codes</p> <ul style="list-style-type: none"> Outpatient Facility Observation added <p>Section 9.1 – Data Element Grid</p> <ul style="list-style-type: none"> Added to 2010A REF02 Note/Comments section: if MPIN is not available, do not submit REF
7.1	10/22/2020	<p>Section 2.2 – Optum connection methods.</p> <ul style="list-style-type: none"> Removed Intelligent EDI (IEDI) link <p>Section 10.3 Case 6:</p> <ul style="list-style-type: none"> Removed: Notification Held for Manual Processing Added: Notification Time Out <p>2010B AAA04 Follow-up Action Code</p> <ul style="list-style-type: none"> Removed: Y = Do not resubmit Added: Resubmit <p>2000E HCR HCR01 Action Code Removed</p> <ul style="list-style-type: none"> Removed: CT – Contact Payer Removed: Note: If you receive a “CT” response, you will need to use the Prior Authorization and Notification tool in Link at UHCprovider.com to obtain the Service Reference Number (SRN), it will not be sent to you via a 278N response. Added: If the error continues, resubmit via LINK at UHCprovider.com
7.2	11/18/2020	<p>Section 9.1 – INPATIENT ADMISSION NOTIFICATION DATA ELEMENTS</p> <ul style="list-style-type: none"> Clarification of Subscriber Loop 2000C. Information should contain patient information. It is not required to send both a subscriber and dependent loop, as member identifiers are unique. Clarification of Dependent Loop 2000D. Only required if patient was not included in 2000C loop. <p>Section 10.4 – ERROR CODES AND INTERPRETATIONS</p> <ul style="list-style-type: none"> Removed duplicated 2000E errors <p>Section 10.5 FREQUENTLY ASKED QUESTIONS</p> <ul style="list-style-type: none"> Discharge date is required from facilities as included in the initial transaction or as a second transaction containing the patient's actual discharge date.
7.3	8/19/2021	<p>Section 4.2 – PROCESS FLOW: REAL-TIME 278 HEALTH CARE SERVICE NOTIFICATION</p> <ul style="list-style-type: none"> Added Important Note about setting up a batch response along with real-time. <p>Section 10.2 – FILE NAMING CONVENTIONS</p> <ul style="list-style-type: none"> Removed 278N Error Scenario – sending the 278N BERR File Added a new Letter A – TA1 Interchange Acknowledgement Letter D – changed 278NBACK to 278NACK
7.4	3/8/2022	<p>Section 6.2 Service Type (UM03) and Place of Service (UM04) Codes</p> <ul style="list-style-type: none"> Remove reference for Observation Notification
8.1	7/3/2024	<p>Section 1.1 Scope</p> <ul style="list-style-type: none"> Replaced link to 278 Authorization and Referral transaction

8.2	9/5/2024	Section 4.1 - Updated EDI Support and Contacts <ul style="list-style-type: none">Removed and updated outdated contact information
-----	----------	---

PREFACE

This companion guide (CG) to the v5010 ASC X12N Technical Report Type 3 (TR3) adopted under Health Insurance Portability and Accountability Act (HIPAA) clarifies and specifies the data content when exchanging transactions electronically with UnitedHealthcare.

Transmissions based on this companion guide, used in tandem with the TR3, also called Health Care Services Review – Request for Review and Response (278) ASC X12N/005010X217, are compliant with both ASC X12 syntax and those guides. This companion guide is intended to convey information that is within the framework of the ASC X12N TR3 adopted for use under HIPAA. The companion guide is not intended to convey information that exceeds the requirements or usages of data expressed in the TR3.

The TR3, also known as X12N Implementation Guide (IG), adopted under HIPAA, here on in within this document will be known as IG.

Contents

CHANGE LOG	2
PREFACE.....	7
1. INTRODUCTION	11
1.1 SCOPE	11
1.2 OVERVIEW	11
1.3 REFERENCE	11
1.4 ADDITIONAL INFORMATION.....	12
2. GETTING STARTED	12
2.1 EXCHANGING TRANSACTIONS WITH UNITEDHEALTH CARE	12
2.2 CLEARINGHOUSE CONNECTION	12
2.3 CERTIFICATION AND TESTING.....	13
3. CONNECTIVITY AND COMMUNICATION PROTOCOLS.....	13
3.1 PROCESS FLOW: BATCH 278 HEALTH CARE SERVICE NOTIFICATION	14
3.2 PROCESS FLOW: REAL-TIME 278 HEALTH CARE SERVICE NOTIFICATION.....	15
3.3 TRANSMISSION ADMINISTRATIVE PROCEDURES	15
3.4 RE-TRANSMISSION PROCEDURES.....	15
3.5 COMMUNICATION PROTOCOL SPECIFICATIONS.....	15
3.6 PASSWORDS	15
3.7 SYSTEM AVAILABILITY.....	15
3.8 COSTS TO CONNECT	16
4. CONTACT INFORMATION	16
4.1 EDI SUPPORT.....	Error! Bookmark not defined.
4.2 EDI TECHNICAL SUPPORT	Error! Bookmark not defined.
4.3 APPLICABLE WEBSITES & EMAIL.....	16
5. CONTROL SEGMENTS/ENVELOPES.....	17
5.1 ISA-IEA	17
5.2 GS-GE	17
5.3 ST-SE	17
5.4 CONTROL SEGMENT HIERARCHY.....	17
5.5 CONTROL SEGMENT NOTES	17
5.6 FILE DELIMITERS	18

6.	PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS.....	18
6.1	278N REQUESTS.....	18
6.2	SERVICE TYPE (UM03) AND PLACE OF SERVICE (UM04) CODES.....	19
6.3	278 RESPONSES	20
6.4	DUPLICATE PROCESSING	21
6.5	UPDATE DURING DUPLICATE CHECK PROCESSING	21
6.6	FACILITY TRANSFERS.....	21
7.	ACKNOWLEDGEMENTS	22
7.1	ACKNOWLEDGEMENTS.....	22
8.	TRADING PARTNER AGREEMENTS	22
8.1	TRADING PARTNERS	22
9.	TRANSACTION SPECIFIC INFORMATION.....	22
9.1	INPATIENT ADMISSION NOTIFICATION data elementS.....	23
10.	APPENDENCES	33
10.1	IMPLEMENTATION CHECKLIST.....	33
10.2	FILE NAMING CONVENTIONS	33
10.3	BUSINESS AND TRANSMISSION EXAMPLES.....	34
10.4	ERROR CODES AND INTREPRETATIONS.....	45
10.5	FREQUENTLY ASKED QUESTIONS	49

1. INTRODUCTION

1.1 SCOPE

This UnitedHealthcare Companion Guide (CG) is designed to assist those providing hospital admission notifications to UnitedHealthcare using the 0005010X216 – Health Care Services Review Notification and Acknowledgement. Admission Notification lets UnitedHealthcare know that a member has been admitted to an acute care hospital, skilled nursing facility or acute rehabilitation facility so we can coordinate programs related to the care setting, discharge plan and referral to after-care.

Timely admission notification allows UnitedHealthcare, physicians and hospital staff to engage into an essential dialogue to help ensure the patient's care path is consistent with evidence-based medicine and practices and supports coordination of care related to the facility stay for their long-term well-being.

Admission notification should be made as soon as possible to enable us to organize the appropriate resources for a positive effect on clinical outcomes while the patient is in the hospital and after discharge.

To send an advanced notification and/or prior authorization requests to UnitedHealthcare, please refer to [EDI 278: UnitedHealthcare \(005010X217\) \(uhcprovider.com\)](#) transaction information. The Helpful Resources section contains additional information regarding notification protocol and guidelines.

1.2 OVERVIEW

This CG will replace, in total, the previous UnitedHealthcare CG versions for Inpatient Admission Notification.

UnitedHealthcare has chosen to adopt the X12 notification transaction named Health Care Services Review Notification and Acknowledgement 278 005010X216 which is designed specifically for notifications. X12 has indicated that when HIPAA expands its scope to include notifications, this transaction will be the one recommended by X12. In the meantime, this transaction is available for use without penalty or restriction under HIPAA.

This UnitedHealthcare CG has been written to assist you in designing and implementing Health Care Services Review Notification and Acknowledgement transactions to meet the processing standards of UnitedHealthcare. This CG must be used in conjunction with the Health Care Services Review Notification and Acknowledgement (278N) instructions as set forth by the ASC X12 Standards for Electronic Data Interchange (Version 005010X216), May 2006. The UnitedHealthcare CG identifies key data elements from the transaction set that we request you provide to us. The recommendations made are to enable you to more effectively complete Electronic Data Interchange (EDI) transactions with UnitedHealthcare.

Updates to this CG occur periodically and are available online. CG documents are posted in the EDI section of our Resource Library on the Companion Guides page:

<https://www.uhcprovider.com/en/resource-library/edi/edi-companion-guides.html>

1.3 REFERENCE

For more information regarding the ASC X12 Standards for Electronic Data Interchange (005010X216) Health Care Services Review Notification and Acknowledgement (278N), or the (005010X230) Functional Acknowledgement for Health Care Insurance (997) and to purchase copies of the Implementation guides, consult the Washington Publishing Company website: <http://www.wpc-edi.com>

1.4 ADDITIONAL INFORMATION

The American National Standards Institute (ANSI) is the coordinator for information on national and international standards. In 1979 ANSI chartered the Accredited Standards Committee (ASC) X12 to develop uniform standards for electronic interchange of business transactions and eliminate the problem of non-standard electronic data communication. The objective of the ASC X12 Committee is to develop standards to facilitate electronic interchange relating to all types of business transactions. The ANSI X12 standards is recognized by the United States as the standard for North America. EDI adoption has been proven to reduce the administrative burden on providers.

The 5010 (version 216) of Health Care Services Review – Services Review Notification and Acknowledgement is not the same transaction as the HIPAA guide currently being moved through the NPRM (Notice of Proposed Rule Making) process. The notification transaction is not a covered business transaction under HIPAA. HIPAA specifically states that only authorization, pre-certification and referral business transactions are subject to the HIPAA rules. Notifications are not subject to HIPAA and do not fit into the HIPAA 278 referral and authorization format. However, X12 has also developed a separate implementation of the 278N (not covered by HIPAA) for notifications, which UnitedHealthcare has adopted.

Please note that this is UnitedHealthcare's approach to the 278N notification and acknowledgement transactions. After careful review of the existing IG for the Version 005010X216 we have compiled the UnitedHealthcare specific CG. We are not responsible for any changes and updates made to the IG.

2. GETTING STARTED

2.1 EXCHANGING TRANSACTIONS WITH UNITEDHEALTH CARE

UnitedHealthcare exchanges transactions with clearinghouses and direct submitters, also referred to as Trading Partners. Most transactions go through the Optum clearinghouse, OptumInsight, the managed gateway for UnitedHealthcare EDI transactions.

2.2 CLEARINGHOUSE CONNECTION

Physicians, facilities, and health care professionals should contact their current clearinghouse vendor to discuss their ability to support the 278 005010X216 Health Care Services Review Notification and Acknowledgement transaction, as well as associated timeframes and potential costs. This includes protocols for testing the exchange of transactions with UnitedHealthcare through your clearinghouse.

Optum: Physicians, facilities and health care professionals can submit and receive EDI transactions direct to the Optum clearinghouse. Optum partners with providers to deliver the tools that help drive administrative simplification at minimal cost and realize the benefits originally intended by HIPAA — standard, low-cost claim transactions.


- Please contact Optum Support at 800-341-6141 to get set up.
- If interested in using Optum’s online solution, contact the Optum sales team at 866-367-9778, option 3, send an email to IEDIsales@optum.com or visit <https://www.optum.com/campaign/fp/free-edi.html>.

2.3 CERTIFICATION AND TESTING

All trading partners who wish to submit 278N Notifications to UnitedHealthcare via the ASC X12 278 (Version 005010X216), and receive corresponding EDI responses, must complete testing to ensure that their systems and connectivity are working correctly before any production transactions can be processed.

For testing EDI transactions with UnitedHealthcare, care providers and health care professionals should contact their current clearinghouse vendor or Optum.

3. CONNECTIVITY AND COMMUNICATION PROTOCOLS



The flow pictured above reflects the response process for batch process.

3.1 PROCESS FLOW: BATCH 278 HEALTH CARE SERVICE NOTIFICATION


The process flow pictured above reflects the response process for batch process. The response to a batch of notification response transactions will consist of:

1. First level response – TA1 will be generated when errors occur within the envelope.
2. Second level response - 997 Functional Acknowledgement may contain both positive and negative responses.
3. A second batch containing one 278N or 997 response transaction for each 278N submitted in the batch. It is also possible for another separate (non-batched) 278N response transaction to be returned if the initial request incurred a time out situation and the first 278N sent was identifying that we were unable to respond at the current time.

When a batch of 278 transactions is received, the individual transaction within the batch is first checked for format compliance. A 997 Functional Acknowledgement transaction is then created with an AK2/AK5 loop for each submitted transaction in the batch indicating whether the transaction was accepted or rejected, and an AK9 segment containing counts of transactions within the batch that passed and failed the initial edits. If validation errors are identified, the 997 will identify the segment and element level where the error occurred. The 997 Functional Acknowledgement transaction is sent back to the submitter.

1. Transactions that passed the format validation (good transactions) are then de-batched and processed individually.
2. Each transaction is sent through another map to validate the individual notification. Transactions that fail this edit will generate a 997 with an error message indicating that there was a map validation error.
3. Transactions that passed the validation edits and successfully process are sent for final processing. The system will generate a 278N response for each transaction indicating whether the notification was successfully processed.
4. All the response transactions including those resulting from the initial edits (997s and 278Ns) from each of the 278N requests are batched together and sent to the submitter.

HIGH LEVEL REAL-TIME 278N PROCESS



3.2 PROCESS FLOW: REAL-TIME 278 HEALTH CARE SERVICE NOTIFICATION

The flow pictured above reflects the response process for Real-time Notifications process. The response to real-time notification transactions will consist of:

1. First level response – TA1 will be generated when errors occur within the outer envelope.
2. Second level response – A real-time 997 transaction, if the submitted 278N failed format edits.
3. If the response is delayed, a real-time 278N response indicating the delay. In this case the actual notification response will be provided when ready via FTP.

Each transaction is first validated to ensure that the 278N contains information needed for processing. Transactions which fail this validation will generate a real-time 997 message back to the sender with an error message indicating that there was a map validation error. Transactions that pass the validation but failed to process (due to member eligibility, for example) will generate a real-time 278N response transaction including an AAA segment indicating the nature of the error.

Transactions which pass initial validation are sent for final processing. As transactions are processed by the systems, a real-time 278N response transaction is generated indicating whether the notification was successful.

IMPORTANT NOTE: The time out response will be sent back in batch mode, therefore, anyone setting up a 278N Notification real-time transaction will need to set up a batch connection also.

3.3 TRANSMISSION ADMINISTRATIVE PROCEDURES

UnitedHealthcare supports both batch and real-time 278N transmissions. Contact your current clearinghouse vendor to discuss transmission types and availability.

3.4 RE-TRANSMISSION PROCEDURES

Please follow the instructions within the 278 AAA data segment for information on whether resubmission is allowed or what data corrections need to be made for a successful response.

3.5 COMMUNICATION PROTOCOL SPECIFICATIONS

Clearinghouse Connection: Physicians, facilities, and health care professionals should contact their current clearinghouse for communication protocols with UnitedHealthcare.

3.6 PASSWORDS

Clearinghouse Connection: Physicians, facilities, and health care professionals should contact their current clearinghouse vendor to discuss password policies.

3.7 SYSTEM AVAILABILITY

Normal business hours: Monday - Friday, 5 am to 9 pm CST

Weekend hours: Saturday - Sunday, 5 am to 6 pm CST (exceptions may occur)

UnitedHealthcare systems may be down for general maintenance and upgrades. During these times, our ability to process incoming 278N EDI transactions may be impacted. The codes returned in the AAA segment of the 278 responses will instruct the trading partner if any action is required.

In addition, unplanned system outages may also occur occasionally and impact our ability to accept or immediately process incoming 278N transactions. UnitedHealthcare will send an email communication for scheduled and unplanned outages.

3.8 COSTS TO CONNECT

Clearinghouse Connection: Physicians, facilities, and health care professionals should contact their current clearinghouse vendor to discuss costs.

Optum:

- Optum Support – 800-341-6141
- Optum’s online solution, [Intelligent EDI \(IEDI\)](#)
 - Call 866-367-9778, option 3
 - Email IEDIsales@optum.com
 - Visit <https://www.optum.com/campaign/fp/free-edi.html>.

4. CONTACT INFORMATION

4.1 EDI SUPPORT

Most questions can be answered by referring to the EDI section of our resource library:

UHCprovider.com/EDI. View the EDI 278 page for information specific to Referral and Authorization requests: <https://www.uhcprovider.com/en/resource-library/edi/edi-278i1.html>

If you need assistance with an EDI transaction accepted by UnitedHealthcare, have questions on the format of the 278 or invalid data in the 278 response, please contact EDI Support by:

- Using our EDI Transaction Support Form,
- Sending an email to supportededi@uhc.com or call 800-842-1109
- Calling Optum Support at 866-678-8646 (866-OPTUM-GO)

For questions related to submitting transactions through a clearinghouse, please contact your clearinghouse or software vendor directly.

4.2 EDI TECHNICAL SUPPORT

When receiving the 278 from a clearinghouse, please contact the clearinghouse. If using Optum, contact their technical support team at 866-678-8646, option 6.

4.1 APPLICABLE WEBSITES & EMAIL

Companion Guides: <https://www.uhcprovider.com/en/resource-library/edi/edi-companion-guides.html>

Optum: <https://www.optum.com>

OptumInsight/Optum EDI Client Center - <https://www.enshealth.com>

UnitedHealthcare EDI Support: supportededi@uhc.com or [EDI Transaction Support Form](#)

UnitedHealthcare EDI Education website: <https://www.uhcprovider.com/en/resource-library/edi.html>

Washington Publishing Company: <http://www.wpc-edi.com>

5. CONTROL SEGMENTS/ENVELOPES

5.1 ISA-IEA

Transactions transmitted during a session or as a batch are identified by an interchange header segment (ISA) and trailer segment (IEA) which form the envelope enclosing the transmission. Each ISA marks the beginning of the transmission (batch) and provides sender and receiver identification.

5.2 GS-GE

EDI transactions of a similar nature and destined for one trading partner may be gathered into a functional group, identified by a functional group header segment (GS) and a functional group trailer segment (GE). Each GS segment marks the beginning of a functional group. There can be many functional groups within an interchange envelope. The number of GS/GE functional groups that exist in a transmission may vary.

5.3 ST-SE

The beginning of each individual transaction is identified using a transaction set header segment (ST). The end of every transaction is marked by a transaction set trailer segment (SE). For real time transactions, there will always be one ST and SE combination. A 278N file can only contain 278N transactions. A 278 Authorization and Referral file can only contain 278 Authorization and Referral transactions.

5.4 CONTROL SEGMENT HIERARCHY

ISA - Interchange Control Header segment
GS - Functional Group Header segment
 ST - Transaction Set Header segment
 First 278N Transaction
 SE - Transaction Set Trailer segment
 ST - Transaction Set Header segment
 Second 278N Transaction
 SE - Transaction Set Trailer segment
 ST - Transaction Set Header segment
 Third 278N Transaction
 SE - Transaction Set Trailer segment
GE - Functional Group Trailer segment
IEA - Interchange Control Trailer segment

5.5 CONTROL SEGMENT NOTES

The ISA data segment is a fixed length record, and all fields must be supplied. Fields not populated with actual data must be filled with space.

1. The first element separator (byte 4) in the ISA segment defines the element separator to be used through the entire interchange.
2. The ISA segment terminator (byte 106) defines the segment terminator used throughout the entire interchange.
3. ISA16 defines the component element.

5.6 FILE DELIMITERS

UnitedHealthcare requests that you use the following delimiters on your 278N file. If used as delimiters, these characters (* : ~ ^) must not be submitted within the data content of the transaction sets. Please contact UnitedHealthcare if there is a need to use a delimiter other than the following:

1. **Data Element:** The first element separator following the ISA will define what Data Element Delimiter is used throughout the entire transaction. **The recommended data element delimiter is an asterisk (*).**
2. **Data Segment:** The last position in the ISA will define what Segment Element Delimiter is used throughout the entire transaction. **The recommended data segment delimiter is a tilde (~).**
3. **Component Element:** ISA16 defines the component element delimiter to be used throughout the entire transaction. **The recommended component-element delimiter is a colon (:).**

6. PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS

6.1 278N REQUESTS

1. Many providers have multiple National Provider Identifiers (NPI) and/or Tax Identification Numbers (TIN), UnitedHealthcare will use these values as well as other data elements supplied in the transaction to attempt to unambiguously identify specific hospitals and other providers. It is important the information provided in the transaction allows UnitedHealthcare to identify the specific geographic location of the admitting facility. Therefore, it is important to include the correct physical address of the facility with the UHC contracted facility name in the notification transaction.
 - a. Additionally, we highly suggest the MPIN be included on the 278N transaction, which allows UnitedHealthcare the best possible matching for facility information.
2. To maintain the same level of data integrity that UnitedHealthcare has today with notifications submitted via alternate methods, it is important for hospitals to appropriately use the values outlined in UM03 and UM04. The values are listed in section 6.2. These values help UnitedHealthcare to distinguish, for example, maternity admissions from hospital inpatient from surgical admissions from skilled nursing admissions, and so on. These values also help us distinguish, for example, an Acute Hospital admission from an Inpatient Rehabilitation admission. These values help us clinically route notifications to appropriate parties and enhance our ability to impact clinical outcomes promptly.
3. Each admission notification transaction must identify an admitting or attending provider, or both, in a 2010EA loop, in addition to the admitting facility. As with the admitting facility, due to the potential for multiple NPI/TIN assignments to providers, please include as much information as possible in the transaction, such as accurate physician first and last name, address, and phone number if available to help reduce ambiguity.

4. An inpatient admission notification transaction which has been successfully processed and added to the database will be indicated by the presence of a Review Identification Number in HCR02. The presence of a Review Identification Number in the acknowledgement of a notification transaction indicates only that the transaction was processed and added to the database. It does not imply that the notification is following inpatient admission notification policy requirements by UnitedHealthcare. If the notification was rejected, HCR02 would not be populated.
5. The response to an unsuccessful notification will have BHT02=44 and will contain an “AAA” segment with an indication of the reason for failure (refer to the Error Codes and Interpretations section in the appendix of this guide).
6. A transaction that is successfully processed by our clinical applications, whether submitted via batch or real-time, will contain the UnitedHealthcare received date and time in the BHT04/05 segments of the 278ACK. This date/time are correctly converted and returned to the trading partner in Eastern Time. This is the same date/time that is later used to evaluate timeliness of the notification upon claim submission.
7. Discharge location is required when supplying a discharge date in Loop 2000E — PATIENT EVENT LEVEL DTP segment (DTP = 096). The discharge location should be submitted in Loop 2000E MSG01 segment. The text in the MSG01 segment must begin with “DC=” followed by a discharge location code (see section 9 – Transaction Specific Information for discharge location codes). Note: The optional Estimated discharge date must be in the future; otherwise, it will be considered an Actual discharge date and discharge location will be required in the MSG segment.

6.2 SERVICE TYPE (UM03) AND PLACE OF SERVICE (UM04) CODES

Service type codes (UM03) and place of service (UM04) codes listed are supported by UnitedHealthcare:

Acute Hospital	Service Type	Service Type Code (UM03)
UM04-1= 11 <small>(Uniform Billing Claim Form Bill Type)</small> or UM04-1= 21 <small>(Professional Services)</small>	Medical Care	1
	Surgical	2
	Hospice	45
	Long Term Care	54
	Maternity	69
	Transplants	70
	Rehabilitation	A9
	Neonatal Intensive Care	NI

Skilled Nursing Facility	Service Type	Service Type Code (UM03)
UM04-1= 21 <small>(Uniform Billing Claim Form Bill Type)</small> or UM04-1 = 31 <small>(Professional Services)</small>	Hospice	45
	Chemotherapy	78
	Rehabilitation	A9
	Skilled Nursing Care	AG

When UM03 = 69 (Maternity), per page 128 of the IG, Last Menstrual Period (LMP) Date and Estimated Date of Birth are required in loop 2000E, segment DTP. If these values cannot be determined, UnitedHealthcare will accept a default value equal to the Admission Date, for both LMP and Estimated Date of Birth.

When submitting surgical, Service Type Code (UM03) = 2 a procedure code must be submitted with the appropriate criteria in the 2000F service loop, or the transaction will be rejected. Using service type 2 is not typical for admission notification.

6.3 278 RESPONSES

Disclaimer: Information provided in 278 responses is not a guarantee of payment or coverage in any specific amount. Actual benefits depend on various factors, including compliance with applicable administrative protocols, date(s) of services rendered and benefit plan terms and conditions.

Responses may consist of multiple transactions and transaction types and will vary depending on how the transactions were submitted. Refer to the 278N Health Care Services Review Information - Acknowledgement section in the IG for response transaction format and content.

278N responses will include much of the information from the original transaction, including subscriber, patient, and submitter identifying information, as well as a Notification Receipt Number in a REF segment in Loops 2000C and 2000D (REF01 = BAF) regardless of whether the notification was successfully processed by the clinical system, unless prohibited from returning specific information based on the IG. In addition, for any transaction that is updating a previously created case, the Administrative Reference Number for that case will be included in a REF segment in Loop 2000E (REF01 = NT). Please refer to these numbers when calling for technical assistance regarding a 278N notification submission. Successfully processed transactions will include a reference number in HCR02. Transactions that pass the validation but fail to process successfully will contain an AAA segment in the response that indicates the nature of the error.

Response Tracking Numbers:

The following tracking numbers are available in the X12 specification and can be used for research and follow-up:

TR3 Term	Response Location	Notes
Notification Receipt Number (NRN)	Loop 2000C & 2000D REF02 (where REF01=BAF)	Unique Number assigned to each 278N that comes into UnitedHealthcare. This number can be used to research any transaction whether it was successfully processed or not. When communicating with UnitedHealthcare EDI Support regarding a technical question about a notification (successful or unsuccessful) submission, we recommend using this reference number.
Review Identification Number (RIN)	Loop 2000E HCR02	Indicates transaction was applied to the database successfully. Known in the IG as "Administrative Reference Number". Also referred to as Service Reference Number by the Health Plan. This number should be used when discussing notifications with UnitedHealthcare Customer Service.
Administrative Reference Number (ARN)	Loop 2000E REF02 (where REF01=NT)	This value will be the equivalent of the RIN or NRN. A successful notification will create the RIN. An unsuccessful notification will create the NRN.

6.4 DUPLICATE PROCESSING

UnitedHealthcare will consider a 278N as a duplicate if the following conditions are ALL true:

1. BHT02 = CN
2. There is an exact match to an open Inpatient case for the member.
3. If the Actual Admission Date (from the transaction) equals that Actual Admission Date from a notification already on file.
4. If a match is found, we will send back the duplicate error code of 33 in the AAA segment of the response, and include the Review Identification Number, (also known as a Service Reference Number or Notification Number) from the case on file, in the REF segment (REF01 = BB) of the acknowledgement. HCR segment will read: Duplicate 2000E REF01 = BB. See case example #7.
5. If no match is found, we will create a new case and return a new Review Identification Number to the submitter. See case example #1.

6.5 UPDATE DURING DUPLICATE CHECK PROCESSING

Authorizations Update Processing – Inpatient Cases:

UnitedHealthcare will update an existing case if the following conditions are ALL true:

1. BHT02 = CN
2. There is an exact match to an open Inpatient case for the member
3. If the Actual Admission Date (from the transaction) equals that Actual Admission Date from a notification already on file.
4. If a match is found and there is no actual discharge date recorded, we will update the Actual Discharge Date (from the transaction) if provided, and include the Review Identification Number, (also known as a Service Reference Number or Notification Number) from the case on file, in the REF segment (REF01 = BB). See Case example #8.
5. When the actual discharge date is updated, the discharge disposition location is required. (2000E MSG01, prefixed by "DC=").
6. Possible values are: 4, 11, 12, 13, 15, 16, 19, 20, 21, 26 and 99.
7. If Discharge Disposition Location is not sent or not a valid value, the transaction will be rejected.
8. If a match is found, but there is no Actual Discharge Date provided on the transaction, or there is already a discharge date recorded for the case, we will send back the duplicate error code of 33 in the AAA segment of the response, and include the Review Identification Number, (also known as a Service Reference Number or Notification Number) from the case on file, in the REF segment (REF01 = BB). HCR segment will read: Duplicate 2000E REF01 = BB. See Case example #7.
9. If no match is found, we will create a new case and return a new Review Identification Number to the submitter. See Case #1.

6.6 FACILITY TRANSFERS

UnitedHealthcare suggests notification of member transfers from one facility to another on the same admission date, follow an alternate method of notification. For a transfer notification to be successfully processed using the 278N the initial case must contain an actual discharge date.

When the same submitter controls both the transfer from and transfer to facility, the 278N can be used to update the actual discharge date in the initial case, prior to submitting a 278N admission notification for the new admission.

7. ACKNOWLEDGEMENTS

7.1 ACKNOWLEDGEMENTS

In certain circumstances, UnitedHealthcare will provide either a 997 Functional Acknowledgement or a TA1 Interchange Acknowledgement transaction in response to a submitted 278N. The 997 Functional Acknowledgement transaction is defined in the document ASC X12 Standards for Electronic Data Interchange Technical Report Type 3, (005010X230) Functional Acknowledgement for Health Care Insurance (997). The TA1 Interchange Acknowledgement file informs the submitter that the transaction arrived and provides Information about the syntactical quality of the Envelope of the submitted X12 file. United Healthcare will only respond with a TA1 when the X12 contains Envelope errors. If a TA1 is produced, then neither the 997 nor 278 responses will be sent. The submitted 278N will need to be corrected and resubmitted. Neither the structure nor content of the TA1 or 997 transactions are defined in this Companion Guide.

Batch 278N Transactions:

- TA1 – Interchange Acknowledgement: A TA1 (Interchange Acknowledgement) will be returned only when the X12 contains Envelope errors.
- 997 - A 997 (Implementation Guide Acknowledgement) will always be returned. It will contain errors or good responses.

Real-Time 278N Transactions:

- TA1 – Interchange Acknowledgement: A TA1 (Interchange Acknowledgement) will be returned only when the X12 contains Envelope errors.
- 997 - A 997 will be returned only when there are format errors in the inquiry file.

8. TRADING PARTNER AGREEMENTS

8.1 TRADING PARTNERS

An EDI Trading Partner is defined as any UnitedHealthcare customer (provider, billing service, software vendor, clearinghouse, employer group, financial institution, etc.) that transmits to or receives electronic data from United Healthcare.

Payers have EDI Trading Partner Agreements that accompany the standard implementation guide to ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

A Trading Partner Agreement may specify, among other things, the roles and responsibilities of each party to the agreement in conducting standard transactions.

9. TRANSACTION SPECIFIC INFORMATION

UnitedHealthcare has put together the following grid to assist you in designing and programming the information we need to apply your 278N file into our Clinical Management System. This CG is meant to illustrate the data needed by UnitedHealthcare to successfully process an inpatient admission notification. The table

represents only those fields that UnitedHealthcare requires a specific value in or has additional guidance on what the value should be. The table does not represent all the fields necessary for a successful transaction; the IG should be reviewed for that information.

9.1 INPATIENT ADMISSION NOTIFICATION DATA ELEMENTS

Loop ID	Element	Name	Supported Codes	Notes/Comments
Header	Interchange Control Header			
	ISA01	Authorization Information Qualifier	00	
	ISA03	Security Information Qualifier	00	
	ISA05	Interchange ID Qualifier	ZZ	
	ISA06	Interchange Sender ID		Left justify and pad with spaces if necessary to 15 characters.
	ISA07	Interchange ID Qualifier	ZZ	
	ISA08	Interchange Receiver ID	87726	Left justify and pad with spaces if necessary to 15 characters.
	ISA11	Repetition Separator	^	The delimiter in ISA 11 must be ^ (caret)
	ISA16	Component Element Separator	:	The delimiter in ISA 16 must be: (colon)
Header	Functional Group Header			
	GS02	Application Sender's Code		This is the same value as the Senders Interchange ID from ISA06 (do not pad with spaces).
	GS03	Application Receiver's Code	87726	This is the same value as the Receiver's Interchange ID from ISA08 (do not pad with spaces).
	GS05	Time	HHMM HHMMSS	
Header	Beginning of Hierarchical Transaction			
	BHT02	Transaction Set Purpose Code	CN	
	BHT03	Reference Identification		This can be used to send the external medical record number for the patient.
2010A	Notification Source Name			
2010A	NM1	Source name		
2010A	NM101	Entity Identifier Code	FA	

2010A	NM102	Entity Type Qualifier	2	2 indicates non-person
2010A	NM103	Organization Name		The name of the UHC contracted facility submitting the admission
2010A	NM108	Identification Code Qualifier	XX	To accurately identify the submitting facility NPI.
2010A	NM109	Identification Code		NPI value associated with the UHC contracted facility.
2010A	REF	Supplemental Identification (optional)		
2010A	REF01	Supplemental Identification Qualifier	EI	Optional submission of UHC contracted facility Tax ID
2010A	REF02	Supplemental Identifier		UHC contracted facility Tax ID value
2010A	REF	Supplemental Identification (requested by payer)		
2010A	REF01	Supplemental Identification Qualifier	ZH	ZH = Unique provider identifier assigned by payer (MPIN).
2010A	REF02	Supplemental Identifier		MPIN value padded with leading zeros to equal 9 digits
2010A	PER	Requester Contact: UnitedHealthcare is requesting a Facility contact (name and phone number) for further information.		
2010A	PER02	Name		Free form contact name. This should be the name of an individual at the submitting facility that UnitedHealthcare can contact if there are questions or more information is needed about this admission notification.
2010A	PER03	Communication Number Qualifier	TE	At least one contact phone number is required.
2010A	PER04	Communication Number		Phone number - Format 10 digits no punctuation or spaces
2010A	PER05	Communication Number Qualifier	EX	If applicable
2010B	PER06	Communication Number		Extension (numeric only), if applicable
2000B	Receiver Level			
2010B	Notification Receiver Name			
2010B	NM1	Receiver Name		
2010B	NM101	Entity Identifier Code	PR	
2010B	NM102	Entity Type Qualifier	2	
2010B	NM108	Identification Code Qualifier	PI	

2010B	NM109	Identification Code	87726	87726=UnitedHealthcare payer ID
2000C	Subscriber Level: One subscriber loop per admission notification is required, which should contain patient information for the best results. Optionally one Subscriber loop 2000C and one Dependent loop 2000D can be submitted.			
2010C	Subscriber Name / Patient Name			
2010C	NM1	Subscriber / Patient Name referred		
2010C	NM103	Name Last		Last name (Required)
2010C	NM104	Name First		First name (Required)
2010C	NM108	Identification Code Qualifier	MI	
2010C	NM109	Member ID		Member ID
2010C	REF	Supplemental Group Number		
2010C	REF01	Reference Identification Qualifier	6P	
2010C	REF02	Reference Identification Value		Members Group/Policy number
2010C	DMG	Subscriber Demographic Information: Patient/Subscriber date of birth needed to verify eligibility		
2010C	DMG01	Date Time Period Format Qualifier		
2010C	DMG02	Subscriber/Patient Birth Date		
2010C	DMG03	Gender		
2000D	Dependent Level: If the patient is a dependent of the subscriber identified in loop 2000C, then one 2000D loop is required to identify the dependent. If the patient was identified in the 2000C loop, then 2000D loop is not required (preferred)			
2010D	Dependent Name			
2010D	NM1	Dependent Name: Required if the patient is a dependent and not included as the patient in the 2000C loop		
2010D	NM103	Name Last		Last Name
2010D	NM104	Name First		First Name
2010D	DMG	Dependent Demographic Information		
2010D	DMG01	Date Time Period Format Qualifier		
2010D	DMG02	Dependent Date of Birth	Required if patient is a dependent and not identified in 2000C	
2010D	DMG03	Dependent Gender	Required if patient is a dependent and not identified in 2000C	
2010D	INS	Dependent Relationship (Optional)		
2010D	INS01	Insured Indicator		

2010D	INS02	Individual Relationship Code		
2000E	Patient Event Level: Exactly one patient event loop is required for admission notifications			
2000E	UM	Healthcare Services Review – Supply for identification of admission type (refer to Section 6.2 for valid UM03 and UM04 values)		
2000E	UM01	Request Category Code	AR	
2000E	UM02	Certification Type Code	I S	If submitting a revision (S) to a previously submitted and approved notification, please provide the Administrative Reference Number from the original authorization request in the 2000E REF segment.
2000E	UM03	Service Type Code		Refer to Standard Service Type and Facility Type Codes in section 6.2. These are the only codes that will be supported.
2000E	UM04 - 1	Facility Type Code		Refer to Standard Service Type and Facility Type Codes in section 6.2. These are the only codes that will be supported.
2000E	UM04 - 2	Facility Code Qualifier		Refer to Standard Service Type and Facility Type Codes in section 6.2. These are the only codes that will be supported.
2000E	REF	Previous Administrative Reference Number: Use for submitting an update or revision to a previously submitted and approved notification with values returned in the previous response.		
2000E	REF01	Reference ID Qualifier	NT BB	
2000E	REF02	Administrative Reference number		REF01 = NT, use NRN value from BAF REF01 = BB, use SRN value from HCRO2
2000E	DTP	Admission Date: Required for admission notifications (UM01=AR)		
2000E	DTP01	Date Time Qualifier	435	Admission
2000E	DTP02	Date Time Period Format	D8	
2000E	DTP03	Date value		Actual admission date, cannot be future date or exceed 90 days in the past
2000E	DTP	Qualifier Discharge Date: actual discharge date must be submitted with a discharge location in the MSG segment. Estimated discharge date (future) can be submitted without a discharge location.		
2000E	DTP01	Date Time Qualifier	96	Discharge

2000E	DTP02	Date Time Period Format		
2000E	DTP03	Actual or future estimated Discharge Date		Discharge Date, cannot exceed 90 days in the past
2000E	HI	Patient Diagnosis: To assign appropriate resources to the case, UnitedHealthcare needs to understand why the patient is being admitted, one ICD-10 diagnosis code is required.		
2000E	HI01 – 1	Diagnosis Type Code	ABJ ABK	
2000E	HI01 – 2	Diagnosis Code		
2000E	HI02 – 1	Diagnosis Type Code	ABJ ABK	
2000E	HI02 – 2	Diagnosis Code		
2000E	HSD	Healthcare Services Delivery (optional)		
2000E	HSD01	Quantity Qualifier	DY	DY is only accepted for Admission Review (AR).
2000E	CL1	Institutional Claim Code: Required for admission notifications (UM01=AR)		
2000E	CL101	Admission Type Code	1 2 3	1=Emergency 2=Urgent 3=Elective
2000E	MSG	Message Text	<p>Admit Time: Provide in this segment. AT=HHMMSS</p> <p>Diagnosis: See note for admitting diagnosis above (2000E/HI). If the actual admitting diagnosis code is not available, this MSG segment must contain text indicating the reason for admission or chief complaint. Please do not use local abbreviations or acronyms. ICD= __</p> <p>Discharge Location: If providing an actual Discharge Date in the DTP segment provide discharge location code in this segment. DC= __</p>	
2000E	MSG	Message Examples and Notes	<p>Examples: MSG*AT=134405; ICD=BROKEN LEG~ MSG*AT=220959; DC=12~ MSG*DC=26~</p> <p>Format Notes: AT=HHMMSS=Admit Time (if available) ICD=If the admitting diagnosis code was not sent in HI segment, then use this field to provide free form diagnosis text (admitting reason, chief complaint, etc.) up to 180 characters. Please use English descriptions or common industry terminology. Do not use facility-specific acronyms, terminology, or abbreviations.</p>	

			<p>DC= If 2000E DTP – Discharge Date (DTP=096) is present, a discharge location is required. The discharge location should be submitted in Loop 2000E MSG01 segment. The text in the MSG01 segment must begin with “DC=” followed by one of the discharge location codes: <u>Discharge Codes:</u> 4 – Comprehensive Inpatient Rehabilitation Facility 11 – Home with Home Care and/or DME 12 – Home/Against Medical Advice 13 – Hospice 15 – Inpatient Hospital 16 – Inpatient Psychiatric Facility 19 – Military Treatment Facility 20 – Expired 21 – No Services/Home 26 – Skilled Nursing Facility 99 - Other</p>	
2010EA	NM1	Facility Name: Loop required for admitting facility		
2010EA	NM101	Entity Identifier Code	FA	
2010EA	NM102	Entity Type Qualifier	2	
2010EA	NM103	Organization Name		Facility Name contracted with UHC
2010EA	NM108	Identification Code Qualifier	XX	
2010EA	NM109	Identification Code		NPI associated with UHC contracted facility
2010EA	REF	Supplemental Identification: Use if sending facility MPIN (requested) or TIN (optional)		
2010EA	REF01	Supplemental Identification Qualifier	ZH	MPIN identifier (requested by payer)
2010EA	REF02	Supplemental Identifier		Unique provider identifier assigned by payer (MPIN)
2010EA	REF01	Supplemental Identification Qualifier	EI	Facility Tax Identification Identifier
2010EA	REF02	Supplemental Identifier		REF01 = EI, provide facility Tax ID value
2010EA	N3	Service Provider Address: Physical address of the facility where the patient is being admitted. Cannot be a Post Office Box.		
2010EA	N301	Address Information		Admitting Facility address line 1
2010EA	N302	Address Information		Admitting Facility address line 2, if applicable

2010EA	N4	Service Provider City/State/Zip: To assist in data matching, please provide the city, state, and zip code of the provider where the patient is being admitted or service is being provided when multiple locations exist.		
2010EA	N401	City Name		
2010EA	N402	State or Province Code		
2010EA	N403	Postal Code		
2010EA	PER	Provider Contact Information: Facility contact for further information		
2010EA	PER01	Contact Function Code		
2010EA	PER02	Name		Please send the name of the contact if it is different or not sent in NM1. Free form contact name: This should be the name of an individual at the submitting facility that UnitedHealthcare can contact if there are questions or more information is needed about this admission notification.
2010EA	PER03	Communication Number Qualifier	TE	At least one contact phone number is required
2010EA	PER04	Communication Number		Phone number - Format 10 digits with no punctuation or spaces
2010EA	PER05	Communication Number Qualifier	FX	If applicable
2010EA	PER06	Communication Number		Extension Number, if applicable
2010EA	NM1	Admitting or Attending Physician Name: Please identify other providers related to this notification. UnitedHealthcare requires the admitting physician, attending physician or both for a successful admission notification.		
2010EA	NM101	Entity Identifier Code	71 AJ	
2010EA	NM102	Entity Type Qualifier	1	1 indicates a person
2010EA	NM103	Name Last or Organization Name		To assist in data matching, it is preferred that this value not contain title or suffix abbreviations such as Dr., MD, OB, etc. either before or after the organization name
2010EA	NM104	Name First		To assist in data matching, it is preferred that this value not contain title or suffix abbreviations such as Dr., MD, OB, etc. either before or after the organization name
2010EA	NM108	Identification Code Qualifier	XX	In order to accurately identify the physician, UnitedHealthcare must receive the physician's NPI.
2010EA	NM109	Identification Code		NPI

2010EA	REF	Supplemental Identification: Use if sending both NPI and TIN		
2010EA	REF01	Supplemental Identification Qualifier	EI	
2010EA	REF02	Supplemental Identifier		Physician's Tax ID
2010EA	N3	Service Provider Address: Physician's address		
2010EA	N301	Address Information		
2010EA	N302	Address Information		
2010EA	N4	City/State/Zip		
2010EA	N401	City Name		
2010EA	N402	State or Province Code		
2010EA	N403	Postal Code		
2010EA	PER	Contact information (optional)		
2010EA	PER01	Contact Function Code		
2010EA	PER02	Name		
2010EA	PER03	Communication Number Qualifier	TE	
2010EA	PER04	Communication Number		
2010EA	PER05	Communication Number Qualifier	FX	
2010EA	PER06	Communication Number		
2000F	Service Level: Not common for admission notification. Use Loop 2000F to identify the type of services to be provided and Loop 2010F to identify the servicing provider, if not identified in first Loop 2010EA (preferred)			
2000F	UM	Healthcare Services Review		
2000F	UM01	Request Category Code	HS	Required qualifier code when Loop 2000F is present
2000F	UM02	Certification Type Code	I S	If submitting a change to a previously submitted and approved notification, please provide the Notification Service Reference Number from the original notification in the following REF segment
2000F	UM03	Service Type Code		Please see section 6.2 for the standard service and facility type codes accepted for notifications
2000F	DTP	Service Date: Required for any service being submitted		

2000F	DTP01	Date Time Qualifier		Provide if the DTP segment is present
2000F	DTP02	Date Time Period Format Qualifier	D8 or RD8	Provide if the DTP segment is present
2000F	DTP03	Service Date		Provide if the DTP segment is present
2000F	SV1	Procedures/Professional Service: Required when identifying a specific professional service		
2000F	SV101 – 1	Code List Qualifier Code	HC N4	
2000F	SV101 – 2	Procedure Code		Provide if the SV1 segment is present
2000F	SV101 – 3-6	Modifier(s)		Provide if the SV1 segment is present
2000F	SV101-7	Description		Provide if the SV1 segment is present
2000F	SV102	Monetary Amount		Provide if the SV1 segment is present
2000F	SV103	Unit or Basis for Measurement Code	MJ UN	Provide if the SV1 segment is present
2000F	SV104	Quantity		Provide if the SV1 segment is present
2000F	SV2	Procedures/Institutional Service: Institutional procedure information		
2000F	SV202 – 1	Code List Qualifier Code	HC	Provide if the SV2 segment is present
2000F	SV202 – 2	Procedure Code		Provide if the SV2 segment is present
2000F	SV202 – 3-6	Modifier(s)		Provide if the SV2 segment is present
2000F	SV203	Monetary Amount		Provide if the SV2 segment is present
2000F	SV204	Unit or Basis for Measurement Code	DA UN	Provide if the SV2 segment is present
2000F	SV205	Quantity		Provide if the SV2 segment is present
2000F	SV209	Nursing Home Residential Status		Provide if the SV2 segment is present
2000F	SV210	Nursing Home Level of Care		Provide if the SV2 segment is present
2010F	Service Provider if not already identified in 2010EA (preferred in 2010EA)			
2010F	NM1	Service Provider Name		
2010F	NM102	Entity Type Qualifier	1	Required when Loop 2010F is present
2010F	NM103	Name Last or Organization Name		To assist in data matching, it is preferred this value not contain title or suffix abbreviations such as Dr., MD, OB, etc. either before or after the provider's last name.
2010F	NM104	Name First		To assist in data matching, it is preferred this value not contain title or suffix abbreviations such as Dr., MD, OB, etc. either before or after the provider's first name.

2010F	NM108	Identification Code Qualifier	XX	XX = NPI
2010F	NM109	Identification Code		NPI
2010F	REF	Service Provider Supplemental Identifier: Use if sending both NPI and TIN		
2010F	REF01	Supplemental Identification Qualifier	EI	EI = Tax Identification Number (TIN)
2010F	REF02	Supplemental Identifier		Physicians Tax ID
2010F	N3	Service Provider Address		
2010F	N301	Address Information		
2010F	N302	Address Information		
2010F	N4	Service Provider City/State/Zip: To assist in data matching, please provide the city, state and zip code of the servicing provider		
2010F	N401	City Name		
2010F	N402	State or Province Code		
2010F	N403	Postal Code		
2010F	PER	Service Provider Contact Information (optional)		
2010F	PER01	Contact Function Code	TE	
2010F	PER02	Name		
2010F	PER03	Communication Number Qualifier	TE FX	
2010F	PER04	Communication Number		

10. APPENDENCES

10.1 IMPLEMENTATION CHECKLIST

The implementation check list will vary depending on your choice of connection, e.g., clearinghouse. A basic check list would be to:

1. Register with trading partner
2. Create and sign contract with trading partner
3. Establish EDI connectivity
4. Send test transactions
5. If testing succeeds, proceed to send production transactions

10.2 FILE NAMING CONVENTIONS

All response files, other than the response file related to a time out situation, will be sent as either zipped or unzipped. If the 278 notification was sent zipped, the response file will be sent zipped. If the 278 notification was sent unzipped, the response file will be sent unzipped. Time out situation response files will always be sent unzipped. If a batch is received with an invalid file name according to the specifications in the File Naming Conventions section, the file will not be processed.

Inbound 278 Batch Request to UnitedHealthcare:

For batch transactions, we will receive the following file name. The extension '.BTC' is an abbreviation for batch. The 278 requests will be included in the file. We will validate that the submitter id and batch id in the file name match the data in the ISA segment.

N or Z_278B_<Submitter ID>_<Batch ID>_<datetimestamp>.BTC.pgp

Example: N_278B_ABC123456789_000000004_01102010142034.BTC.pgp

Outbound Responses from UnitedHealthcare:

For batch transactions, the naming convention for the 278-acknowledgment file is listed below. The extension '.RES' is an abbreviation for response.

- A. 997 Functional Acknowledgement (Batch Only):
 - i. **N or Z_278NB997_<batch ID>_<submitter ID >_<datetimestamp>.RES.pgp**
 - ii. Example: Z_278NB997_000000004_ABC123456789_01102010142034.RES.pgp
- B. 278 Acknowledgement (Batch Only) – may contain 997 transactions:
 - i. **N or Z_278NBACK_<batch ID>_<submitter ID >_<datetimestamp>.RES.pgp**
 - ii. Example: Z_278NBACK_000000004_ABC123456789_01102010142034.RES.pgp
- C. 278N Acknowledgement
 - i. **N 278NBACK_<batch ID>_<submitter ID >_<datetimestamp>.RES.pgp**
 - ii. Example: N_278NACK_000000004_ABC123456789_01102010142034.RES.pgp
- D. 278N Error Scenario
N 278NBERR_<batch ID>_<submitter ID >_<datetimestamp>.RES.pgp
Example: N_278NBERR_000000004_ABC123456789_01102010142034.RES.pgp

FILE NAMING NOTES:

1. The Date/Time format used in the file names is as follows: MMDDYYYYHHMMSS (Time is expressed in military format based on central time zone).
2. The batch number in the notification submission file name must be equal to ISA13 in the Interchange Control Header within the file.
3. The submitter ID in the notification submission file name must be equal to ISA06 in the Interchange Control Header within the file.
4. The names of the 997 Functional Acknowledgement file and the B2B Gateway Response file will include the batch number from the inbound batch file.
5. All response files, other than the response file related to a time out situation, will be sent as either zipped or unzipped. The file will be sent back to the customer in the same way that it was sent to UnitedHealthcare. If the 278N request was sent zipped, B2B will send the response file zipped. Time out situation response files will always be sent unzipped.
6. 'N' identifies the file as being unzipped and 'Z' identifies the file as being zipped. The extension '.BTC' is an abbreviation for batch.
7. If a batch is received with an invalid file name according to the specifications in the File Naming Conventions section in this guide, technical resources within UnitedHealthcare will be alerted to follow-up with the submitter for correction.
8. Files received via Clearinghouse methods may use a different naming convention, for more information contact the appropriate connection area listed in section 2.0 of this guide.
9. The 278NBACK is the first response you will receive and contains a batch of responses to each submission notification. If the 278NBACK contains an AAA segment error of "42" in AAA03 and a "Y" in AAA04 (indicating a delay in processing) for any of the submissions, you will get a second file called 278NACK once the submissions are processed. This 278NACK will contain responses for those submissions delayed, queued up and processed.

10.3 BUSINESS AND TRANSMISSION EXAMPLES

The following request and response examples are provided as guidance for formatting only and do not necessarily contain valid identifier values.

```
ISA*00*      *00*      *ZZ*BPR219997000  *ZZ*87726
*080114*1837*^*00501*000000011*0*T*:
GS*HI*BPR219997000*87726*20080114*183724*1*X*005010X216
ST*278*0001*005010X216 BHT*0007*CN*12345678*20080114*183724*NO
HL*1**20*1
NM1*FA*2*Hospital Name *****XX*5566778899
PER*IC*Hospital Contact Name *TE*8885551212*EX*1234
HL*2*1*21*1
NM1*PR*2*UnitedHealth Group *****PI*87726
HL*3*2*22*1
NM1*IL*1*PATIENT1*TEST*****MI*999999999
REF*6P*888888
```

DMG*D8*19600406*M
HL*4*3*EV*1
UM*AR*I*2*11:A**03
DTP*435*D8*20070913
CL1*3
MSG*ICD=Chest Pains
NM1*FA*2*Hospital Name *****XX*5566778899
REF*EI*123456789
REF*ZH*987654321
N3*1234 Acme Blvd.*Unit 303
N4*San Sickville*CA*95467
PER*IC*Phil Uppe*TE*2321234567*FX*2321236899
NM1*71*1*Doctor Last*Doctor First *****XX*9876543211 REF*EI*666555444
N3*5678 Acme Blvd.*Unit 404
N4*San Sickville*CA*95467
PER*IC*Office Admin Name*TE*8885551212*FX*8885551313
HL*5*4*SS*0
TRN*1*666777887*1234567893
UM*HS*I*1*21:A
DTP*472*D8*20070915
SV2**HC:12345
SE*33*0001
ST*278*0002*005010X216
BHT*0007*CN*12345678*20080114*183724*NO
HL*1**20*1
NM1*FA*2*Hospital Name*****XX*5566778899
PER*IC*Hospital Contact Name*TE*8885551212*EX*1234
HL*2*1*21*1
NM1*PR*2*UnitedHealth Group*****PI*87726
HL*3*2*22*1 NM1*IL*1*PATIENT2*TEST*****MI*888888888
REF*6P*888888
DMG*D8*19620507*F
HL*4*3*EV*0
UM*AR*I*69*11:A**E
DTP*484*D8*20080101
DTP*ABC*D8*20080613
DTP*435*D8*20080613
CL1*3
MSG*ICD=Delivery
NM1*FA*2*Hospital Name*****XX*5566778899
REF*EI*123456789
REF*ZH*987654321
N3*1234 Acme Blvd.*Unit 303
N4*San Sickville*CA*95467
PER*IC*Phil Uppe*TE*2321234567*FX*2321236899
NM1*71*1*Doctor Last*Doctor First*****XX*9876543211
REF*EI*666555444

N3*5678 Acme Blvd.*Unit 404
 N4*San Sickville*CA*95467
 PER*IC*Office Admin Name*TE*8885551212*FX*8885551313
 SE*30*0002
 GE*2*1
 IEA*1*000000011

Example Response Scenarios

Case 1: This example includes response files 997; a 278NBACK showing a delayed response; and a 278NACK final successful response.

Case 1: Notification successfully entered into the system				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	53 = Completion
2000E	REF	REF01	Reference Identification Qualifier	NT = Administrator's Reference Number
		REF02	Reference ID	8500122235376134
	HCR		Health Care Services Review	
		HCR01	Action Code	A6=Modified
		HCR02	Review Identification Number	1811307384

997 Received

N_278NB997_BFT219997000_000000000_09252008040505
 ISA*00* *00* *33*87726 *ZZ*BFT219997000 *080925*1024*^*00501*000002057*0*P*:
 GS*FA*87726*1234567890*20080925*1024*100005
 ST*997*000000001*005010X230
 AK1*HI*100005*005010X216
 AK2*278*0001*005010X216
 AK5*A
 AK9*A*1*1*1
 SE*6*000000001
 GE*1*100005
 IEA*1*000002057

278NBACK Received showing a delayed response

N_278NBACK_BFT219997000_000002057 09252008040505
 ISA*00* *00* *33*87726 *ZZ*BFT219997000 *080925*1024*^*00501*000002057*0*T*:
 GS*HI*87726*1234567890*20080925*1024*100005*X*005010X216
 ST*278*0001*005010X216
 BHT*0007*53*117900*20080925*121726
 HL*1**20*1
 NM1*FA*2*MEDICAL CENTER OF SICKVILLE*****24*123456789
 HL*2*1*21*1 NM1*X3*2*****PJ*87726

PER*IC*PHIL UPPE*TE*2147733765

AAA*N42*Y**

HL*3*2*22*1
REF*BAF*8500122235376134
NM1*IL*1*DOE*JANE*B***MI*987654321
REF*6P*12345
DMG*D8*19990101
HL*4*3*EV*0
TRN*2*2001042801*9012345678*CARDIOLOGY
UM*AR*I*2*11:A**03
DTP*435*D8*20080915
SE*18*0001
GE*1*100005
IEA*1*000002057

278NACK Final successful response

N_278NACK_BFT219997000_000002057_09252008040505
ISA*00* *00* *33*87726 *ZZ*BFT219997000 *080925*1028*^*00501*000002057*0*T*:
GS*HI*87726*1234567890*20080925*1028*100005*X*005010X216
ST*278*0001*005010X216 BHT*0007*53*117900*20080925*1219
HL*1**20*1
NM1*FA*2*MEDICAL CENTER OF SICKVILLE*****24*123456789
HL*2*1*21*1
NM1*X3*2*****PI*87726
HL*3*2*22*1
REF*BAF*8500122235376134
NM1*IL*1*DOE*JANE*B***MI*987654321
REF*6P*12345
DMG*D8*19990101*F
HL*4*3*EV*0
TRN*1*2001042801*9012345678*CARDIOLOGY
UM*AR*I*2*11:A**03
HCR*A6*1811307384*
REF*NT*8500122235376134
DTP*435*D8*20080915
SE*18*0001
GE*1*100005
IEA*1*000002057

Case 2: This is an example of a submission where the Admitting/Attending physician NPI was not provided.

Case 2: Notification Error				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	44 = Rejection
Any	AAA	AAA01	Valid Request Indicator	N
		AAA03	Reject Reason Code	See IG for Loop 43 in this example
		AAA04	Follow-Up Action Code	C = Correct and Resubmit N = Resubmission not allowed

278NBACK Received

ISA*00* *00* *33*87726 *ZZ*BFT219997000 *081014*1559*^*00501*000009909*0*T*:
 GS*HI*87726*1234567890*20081014*15593809*1*X*005010X216
 ST*278*0001*005010X216
 BHT*0007*44*117900*20081014*165931
 HL*1**20*1
 NM1*FA*2*MEMORIAL HOSPITAL OF SICKVILLE*****XX*6217955841
 HL*2*1*21*1
 NM1*X3*2*UNITED HEALTH GROUP*****PI*87726
 HL*3*2*22*1
 REF*BAF*8500122400854741
 NM1*IL*1*DOE*JOHN*****MI*100000000
 REF*6P*22010
 DMG*D8*19990101*M
 HL*4*3*EV*1
 TRN*1*2001042801*9012345678*CARDIOLOGY
 UM*AR*I*2*11:A**E
 DTP*435*D8*20081013
 NM1*71*1*DOCLASTNAME*PAUL
 REF*ZH*000123456
 AAA*N**43*C SE*19*0001
 GE*1*1
 IEA*1*000009909

Case 3a: This is an example of a submission whose member was not eligible

Case 3a: Member Blocked				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	44 = Rejection
2010C	AAA	AAA01	Valid Request Indicator	N
		AAA03	Reject Reason Code	78 = Subscriber/Insured not in group/plan identified
		AAA04	Follow-Up Action Code	N = Resubmission not allowed
2000E	HCR	HCR01	Action code	A3 = Not certified
		HCR03	Free Form Message	Informational message from UHG may be sent
		AAA03	Reject Reason Code	See IG for loop

		AAA04	Follow-up action code	C = Correct and Resubmit, N = Resubmission not allowed.
--	--	-------	-----------------------	---

278NBACK Received

ISA*00* *00* *33*87726 *ZZ*BFT219997000 *081107*1134*^*00501*000009035*0*T*:
GS*HI*87726*1234567890*20081107*11345951*1*X*005010X216
ST*278*0001*005010X216
BHT*0007*44*117900*20081107*1234
HL*1**20*1
NM1*FA*2*MEDICAL CENTER OF SICKVILLE*****XX*1234567890
HL*2*1*21*1
NM1*X3*2*UNITED HEALTH GROUP*****PI*87726
HL*3*2*22*1
REF*BAF*8500122591664453
NM1*IL*1*DOCLASTNAME*PAUL****MI*000000001
REF*6P*100000
AAA*N**78*N
DMG*D8*19460311*M
HL*4*3*EV*1
TRN*1*2001042801*9012345678*CARDIOLOGY
UM*AR*I*2*11:A**03
HCR*A3**
DTP*435*D8*20081107
SE*18*0001
GE*1*1
IEA*1*000009035

Case 3b: This is an example of a case or service that was blocked from creating a case within the clinical system.

Case 3b: Case or Service Blocked				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	44 = Rejection
2000E	AAA	AAA01	Valid Request Indicator	N
		AAA03	Reject Reason Code	33 = Input Errors
		AAA04	Follow-Up Action Code	N = Resubmission not allowed.
2000E	HCR	HCR01	Action Code	A3 = Not Certified
		HCR03	Free Form Message	Informational Message from UHG will be sent. See Appendix 10.6 HCR03 Table

278NBACK Received

ISA*00* *00* *33*87726 *ZZ*BFT219997000 *081107*1134*^*00501*000009035*0*T*:
GS*HI*87726*1234567890*20081107*11345951*1*X*005010X216
ST*278*0001*005010X216
BHT*0007*44*117900*20081107*1234
HL*1**20*1

NM1*FA*2*MEDICAL CENTER OF SICKVILLE*****XX*1234567890
 HL*2*1*21*1
 NM1*X3*2*UNITED HEALTH GROUP*****PI*87726
 HL*3*2*22*1
 REF*BAF*8500122591664453
 NM1*IL*1*DOCLASTNAME*PAUL*****MI*000000001
 REF*6P*100000
 AAA*N**33*N
 DMG*D8*19460311*M
 HL*4*3*EV*1
 TRN*1*2001042801*9012345678*CARDIOLOGY
 UM*AR*I*2*11:A**03
 HCR*A3**[CODE] See CG HCR03 Appx 4037
 DTP*435*D8*20081107
 SE*18*0001
 GE*1*1
 IEA*1*000009035

Case 4: This is an example of a 278NBACK that resulted in a failed notification that was submitted with UM03-68 (Well Baby) which is not allowed.

Case 4: Notification Not Required for Well Baby				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	44 = Rejection
2010A	AAA	AAA01	Valid Request Indicator	N
		AAA03	Reject Reason Code	84 = Certification not required
		AAA04	Follow-Up Action Code	N = Resubmission not allowed

278NBACK Received

ISA*00* *00* *33*87726 *ZZ*BFT219997000 *091028*1302*^*00501*000009001*0*T*:
 GS*HI*87726*1234567890*20091028*13024645*1*X*005010X216
 ST*278*0001*005010X216
 BHT*0007*44*117900*20091028*1402
 HL*1**20*1
 NM1*FA*2* MEDICAL CENTER OF SICKVILLE*****XX*1234567890
 HL*2*1*21*1
 NM1*X3*2*UNITED HEALTH GROUP*****PI*87726
 HL*3*2*22*1
 REF*BAF*0500125675002250
 NM1*IL*1*LASTNAME*BILL*****MI*987654321
 REF*6P*101000
 DMG*D8*19770101*M
 HL*4*3*23*1
 REF*BAF*0500125675002250
 NM1*QC*1*LASTNAME*BETTY

DMG*D8*19860101*F
 INS*N*G8
 HL*5*4*EV*1
 TRN*1*2001042801*9012345678*CARDIOLOGY
 AAA*N**84*N
 UM*AR*I*68*11:A
 DTP*435*D8*20091021
 SE*22*0001
 GE*1*1
 IEA*1*000009001

Case 5: This is an example of a 278NBACK that resulted in a notification that experienced a delay for a submission that occurred during a maintenance window.

Case 5: Timeout / Notification Held for Retry				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	53 = Completion
2010B	AAA	AAA01	Valid Request Indicator	N
		AAA03	Reject Reason Code	42 = Unable to respond at the current time
		AAA04	Follow-Up Action Code	Y = Do not resubmit

278NBACK Received

ISA*00* *00* *33*87726 *ZZ*BFT219997000 *081017*0133*^*00501*000009011*0*T*:
 GS*HI*87726*1234567890*20081017*01330582*1*X*005010X216
 ST*278*0001*005010X216
 BHT*0007*53*117900*20081017*023028
 HL*1**20*1
 NM1*FA*2*MEDICAL CENTER OF SICKVILLE*****XX*1234567890
 HL*2*1*21*1 NM1*X3*2*****PI*87726
 PER*IC*UPPE PHIL*TE*2145551212
 AAA*N**42*Y
 HL*3*2*22*1
 REF*BAF*8500122419381165
 NM1*IL*1*DOE*JANE*****MI*000000001
 REF*6P*12345
 HL*4*3*23*1
 REF*BAF*8500122419381165
 NM1*QC*1*DOE*BABY
 HL*5*4*EV*0
 TRN*2*2001042801*9012345678*CARDIOLOGY
 UM*AR*I*NI*11:A**03
 DTP*435*D8*20081016
 SE*20*0001
 GE*1*1
 IEA*1*000009011

Case 6: This is an example of a 278NBACK that resulted in a notification that was rejected during processing because of a system issue.

Case 6: Notification Time-out Rejection				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	44 = Rejection
2010B	AAA	AAA01	Valid Request Indicator	N
		AAA03	Reject Reason Code	42 = Unable to respond at the current time
		AAA04	Follow-Up Action Code	Y = Do not resubmit
2000E	HCR	HCR01	Action Code	CT = Contact Payer

Note: Submitter can resubmit if error continues, submit admission notification by using the provider portal, UHCprovider.com

Case 7: This is a response to a duplicate submission.

Case 7: Duplicate Notification				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	44 = Rejection
2000E	AAA	AAA01	Valid Request Indicator	N
		AAA03	Reject Reason Code	33 = Input errors
		AAA04	Follow-Up Action Code	N = Resubmission not allowed
	REF	REF01	Reference Identification Qualifier	NT = Admission reference number
		REF02	Reference ID	8500122400855276
	HCR	HCR01	Action Code	NA
		HCR03	Review Decision Reason	Duplicate 2000E REF01=BB

278NBACK Received

```

ISA*00*      *00*   *33*87726   *ZZ*BFT219997000   *081015*1250*^*00501*000009003*0*T*:
GS*HI*87726*1234567890*20081015*12502351*1*X*005010X216
ST*278*0001*005010X216
BHT*0007*44*117900*20081015*1349
HL*1**20*1
NM1*FA*2*MEMORIAL HOSPITAL OF SICKVILLE*****XX*1234567890
HL*2*1*21*1
NM1*X3*2*UNITED HEALTH GROUP *****PI*87726
HL*3*2*22*1
REF*BAF*8500122408241586
NM1*IL*1*DOE*JOHN*****MI*900000000
REF*6P*12345 DMG*D8*19990101*M
HL*4*3*EV*1
  
```

TRN*1*2001042801*9012345678*CARDIOLOGY
 AAA*N**33*N
 UM*AR*I*1*11:A**03
 REF*NT*8500122400855276
 REF*BB*1811307833
 HCR*NA**DUPLICATE 2000E REF01 = BB
 DTP*435*D8*20081016
 HL*5*4*SS*0
 UM*HS*I*1*21:B
 DTP*472*D8*20081016
 SV2**HC:33518
 SE*23*0001
 GE*1*1
 IEA*1*000009003

Case 8: This is a response to an updated submission or a submission matching the existing clinical case where no updates were applied.

Case 8: Updated Notification				
278N Response Transaction				
Loop	Segment	Element	Description	Comments
	BHT	BHT02	Transaction Set Purpose Code	44 = Rejection
2000E	REF	REF01	Reference Identification Qualifier	NT = Admission reference number
		REF02	Reference ID	8500125787073603
	REF	REF01	Administrative Reference Number	BB = Preview review authorization number
		REF02	Service Reference Number	0194921202

The two examples below show the original response to the submitted 278N and then the response to the 278N that was updated to include a discharge date.

Response to the original 278N that was submitted:

ISA*00* *00* *33*87726 *ZZ*BFT219997000 *091110*1534*^*00501*000007016*0*T*:
 GS*HI*87726*1234567890*20091110*15340790*1*X*005010X216
 ST*278*0001*005010X216
 BHT*0007*53*117900*20091110*163346
 HL*1**20*1
 NM1*FA*2*MEMORIAL HOSPITAL OF SICKVILLE*****XX*1234567890
 HL*2*1*21*1
 NM1*X3*2*UNITED HEALTH GROUP *****PI*87726
 HL*3*2*22*1
 REF*BAF*8500125787073603
 NM1*IL*1*DOE*JANE****MI*123456789
 DMG*D8*19591206*F
 HL*4*3*EV*1
 TRN*1*2001042801*9012345678*CARDIOLOGY

UM*AR*I*2*11:A
HCR*A6*0194921202

Response to the updated 278N that was submitted to include a discharge date:

ISA*00* *00* *33*87726 *ZZ*BFT219997000 *091110*1554*^*00501*000007016*0*T*:
GS*HI*87726*1234567890*20091110*15545287*1*X*005010X216
ST*278*0001*005010X216
BHT*0007*53*117900*20091110*165448
HL*1**20*1
NM1*FA*2*MEMORIAL HOSPITAL OF SICKVILLE*****XX*1234567890
HL*2*1*21*1
NM1*X3*2*UNITED H E A L T H G R O U P *****PI*87726
HL*3*2*22*1
REF*BAF*8500125787073611
NM1*IL*1*DOE*JANE****MI*123456789
DMG*D8*19591206*F
HL*4*3*EV*1
TRN*1*2001042801*9012345678*CARDIOLOGY
UM*AR*I*2*11:A
HCR*A6*0194921202*
REF*NT*8500125787073603
REF*BB*0194921202
DTP*435*D8*20091016
DTP*096*D8*20091017
MSG*ICD=CHF*DC=4
SE*19*0001
GE*1*1
IEA*1*000007016

Updated response includes the original HCR02 Reference Number (0194921202) and the original transaction identifier (REF*NT*8500125787073603). You will also see the update which is the discharge date (DTP*096*D8*20091017).

10.4 ERROR CODES AND INTERPRETATIONS

In certain circumstances, an informational message will be returned in HCR03 (Loop 2000E or 2000F) which may include additional information concerning the reason for rejection.

Loop	AAA03	AAA04	Notes/Comments
2000A	33	C	Unable to process
2000A	41	N	BHT02 (purpose code) is not supported
2000A	42	Y	Refer to Implementation Guide
2010A	41	N	Test transaction submitted to production
2010A	43	C	MPIN must be 9 digits
2010A	44	C	Missing/Invalid Provider Name
2010A	46	C	Missing/Invalid Provider Phone
2010A	47	C	Missing/Invalid Provider State
2010C	58	C	Date of birth and subscriber name are both required if the subscriber level is the patient
2010C	67	C	Patient Not Found
2010C	68	C	Duplicate Patient ID Number
2010C	71	C	Patient date of birth does not match eligibility
2010C	72	C	Missing/Invalid Member ID
2010C	73	C	Member Type 'MI' must be populated
2010C	75	N	Member or Subscriber not found
2010C	78	N	Case/Service Block: See informational message in HCR03
2010C	95	N	Member Not Eligible
2010D	58	C	Missing or Invalid Date of Birth
2010D	65	C	Missing/Invalid Patient Name
2010D	68	C	Duplicate Patient ID Number
2000E	15	C	2000E UM04 is required for an Admission Review. (UM01=AR)
2000E	15	C	2000E UM03 value is not supported. See Companion Guide for supported
2000E	15	C	Admission Review (UM01=AR) requires at least an Admitting or Attending
2000E	33	C	Only AR is supported for Notifications. (2000E UM01)
2000E	33	C	Only one Facility Provider supported.
2000E	33	C	2000E HSD01 of DY requires an HSD02 Quantity of zero or greater.

2000E	33	C	Invalid or missing Service Descriptor (Admission Type or Level of Service)
2000E	33	C	Only I or S supported (2000E UM02)
2000E	33	C	When Certification Type is I, do not include Administrative Reference Number (2000E)
2000E	33	C	2000E UM04-2 is not supported for an Admission Review.
2000E	33	C	2000E UM04-1 is not supported. See Companion Guide for supported values.
2000E	33	C	Previous Review Administrative Reference Number and Authorization Number are not associated.
2000E	33	C	Previous Review Administrative Reference Number not found. Case cannot be updated (UM02=S)
2000E	33	C	For Admission Review (UM01=AR), if HSD segment sent, only supported HSD01
2000E	33	C	Unable to Process
2000E	33	C	Unknown Discharge Disposition
2000E	33	C	Discharge Disposition missing
2000E	33	C	A value was submitted that does not conform to the Companion Guide
2000E	33	C	NPI not Found (refers to facility)
2000E	33	N	Duplicate request with Administrative Reference Number xxxxxxxxxxxxxxxx.
2000E	33	N	A coverage determination has been made. Updates to the case are not supported.
2000E	33	N	Case/Service Block: See informational message in HCR03
2000E	57	C	Refer to Implementation Guide
2000E	60	C	Refer to Implementation Guide
2000E	AF	C	Missing/Invalid Diagnosis Code
2000E	AM	C	Missing/Invalid Admission Date
2000E	AN	C	Missing/Invalid Discharge Date
2000E	T5	C	Administrative Reference Number is required for a Revision. (2000E REF02)
2000E	T5	C	Administrative Reference Number must be 16 digits. (2000E REF02)
2010E	15	C	Facility Provider required for Admission Review. (UM01=AR)
2010E	33	C	Facility cannot be a person.
2010E	33	C	Zip Code must be 5 or 9 digits.

2010E	33	C	Provider Phone Number must be 10 digits.
2010E	33	C	Only one Admitting Provider supported.
2010E	33	C	Only one Attending Provider supported.
2010E	41	N	Case is not Open. Updates are not supported. You may call the number on the back of the member id card for further information.
2010E	41	N	Case is Cancelled or Denied. Update is not supported. You may call the number on the back of the member id card for further information.
2010E	41	N	Member does not match previously submitted Member for the event. Case cannot be updated. (UM02=S)
2010E	44	C	Missing/Invalid Provider Name
2010E	46	C	Missing/Invalid Provider Phone
2010E	47	C	Missing/Invalid Provider State
2000F	15	C	2000F UM04-1 value is not supported for Notifications. See Companion Guide for supported values.
2000F	15	C	SV2 (Professional Service) is required when requesting a Professional Service (2000F)
2000F	33	C	HSD is not supported for services on an Admission Review (2000F)
2000F	33	C	Facility Provider not supported for Professional Service (UM01 = HS)
2000F	33	C	Only HS is supported (2000F UM01)
2000F	33	C	Only I or S are supported (2000F UM02)
2000F	33	C	When Certification Type is I, do not include Authorization Number (2000F)
2000F	33	C	2000F UM03 value is not supported. See Companion Guide for supported values.
2000F	33	C	2000F UM04 is not supported for an Admission Review.
2000F	33	C	2000F UM04-1 value is not supported. See Companion Guide for supported values.
2000F	33	C	Dental Service (SV3) is not currently supported. (2000F)
2000F	33	C	Unable to Process, please call.
2000F	33	C	HSD segment does not conform to supported service delivery patterns. See Companion Guide for valid patterns.

2000F	33	N	A coverage determination has been made. Updates to case are not supported (UM02=S)
2000F	33	N	Service is cancelled or denied. Update is not supported. You may call the number on the back of the member id card for further information.
2000F	33	N	Case/Service Block: See informational message in HCR03
2000F	57	C	Missing/Invalid Date of service
2000F	60	C	Date of birth later than date of service
2000F	AG	C	Refer to Implementation Guide
2000F	T5	C	Authorization Number is required for a Revision (2000F)
2000F	T5	C	Authorization Number must be 10 digits. (2000F)
2010F	33	C	Only one Servicing Provider is supported per Service (2010F)
2010F	33	C	Facility cannot be a person
2010F	33	C	Zip Code must be 5 or 9 digits
2010F	33	C	Provider Phone Number must be 10 digits

10.5 FREQUENTLY ASKED QUESTIONS

1. At which point of the transaction flow is the notification requirement considered fulfilled?

Formally, the 278ACK response sent to the submitter from our clinical systems, containing the Review Identification Number, would indicate that the notification was processed. The fulfillment of the notification requirement itself is a combination of the receipt of the 278ACK response with the Review Identification Number (HCRO2), a BHT04 (date) and BHT05 (time) value in the response within 24 hours of the admission date/time reported on the claim, and accurate and compliant submission of data elements required by the Administrative Guide.

2. Will the 278N support admission notification submissions for members where a UnitedHealthcare plan, subject to notification protocol, is secondary?

Yes.

3. How often should a notification batch be submitted?

Because a notification is required to be received by UnitedHealthcare within 24 hours of inpatient admission, we recommend submitting at least 2 batches per day. We prefer the hospital submits batches more often than that to ensure the 24-hour window is met as well as it can have a more effective impact on care management.

4. How can hospital reconcile the 278ACK generated by this transaction?

Submitters can use the required Submitter Transaction ID (BHT03) to reconcile the response, in addition to the administrative reference number returned in the response. The BHT03 value should remain consistent representing the external member medical record number.

5. Not all facilities that share NPIs between locations/departments perform a discharge and new inpatient admission at time of transfer. Do we meet the requirement by only notifying within 24 hours of the first inpatient admission and not notifying when a transfer occurs?

If a patient is transferred between two locations, the second facility/location is responsible for submitting another admission notification when the patient is admitted at that facility. If a patient is transferred between levels of care, as outlined below, a second admission notification is required. Claim payment is dependent on having an admission notification on file under the TIN/NPI that is billed on the related claim for the level of care submitted. A second notification is generally required when:

- Patient transfers from Acute IP to Skilled Nursing
- Patient transfers from Acute IP to Inpatient Rehab
- Patient transfers from Inpatient Rehab to Skilled Nursing
- Patient transfers from Acute IP to a different Acute IP facility (patient changes locations – even if TIN of NPI is same at the new facility)

Note: Using an alternate method to notify of transfers is suggested. The first submission needs to have recorded an actual discharge date for the second submission to create a new case within the clinical system.

6. Can notifications be submitted for newborns via the 278N?

UnitedHealthcare does not require notifications for healthy newborns.

UnitedHealthcare does require notifications for NICU admissions.

7. UnitedHealthcare has indicated that it is important they be able to identify the physical hospital in which a patient has been admitted (if multiple locations share TIN/NPI). Does the 278N include fields for submitting this information?

Yes, this would be in 2010EA segment N3 and N4 starting from page 184 of the Implementation Guide or Segment 2010EA in the "Inpatient Admission Notification Data Elements" section of this Companion Guide.

8. Can we use the admitting facility TIN as the TIN for the admitting/attending physician?

No. Per our Administrative Guide, we require at least the physician first name, last name and NPI to identify the physician. Optionally the TIN can be submitted in the 2010EA REF segment.

9. Can trading partners submit one notification per batch?

Yes.

10. Is UnitedHealthcare requiring a follow-up transaction to provide discharge information?

Yes, if discharge date with a value of current or prior date is not included in the initial transaction, we are requesting a second transaction from the facility including the actual discharge date and discharge location.

11. Can rejected transactions be resubmitted?

Yes. For rejected transactions regardless of the AAA04 Follow-Up Action Code the transactions can be submitted via 278N once the transactions have been corrected. In scenarios where a system issue or timeout has occurred the transactions may be resubmitted without modification.

Note: If errors continue, it is suggested to follow an alternate method of notification.

12. Are inpatient psychiatric services a separate service type/UM03 or included under medical?

Inpatient psychiatric services are covered under United Behavioral Health, which is not subject to this Admission Notification Protocol. See the UBH Administrative Guide for information on their admission notification policy.

13. If we are connecting via a clearinghouse, is testing required only with the clearinghouse?

Hospitals using a clearinghouse will be responsible for testing the transaction with the clearinghouse and the clearinghouse will be responsible for testing with UnitedHealthcare. In addition, UnitedHealthcare will be validating the data submitted within UM03/04 and the diagnosis code to confirm that the data being submitted is appropriate. If data integrity issues are uncovered, UnitedHealthcare will work directly with the hospital to resolve the issues.

14. Are the ante partum and postpartum inpatient admissions considering a code 69 for maternity or are they are code 1 for medical care? In addition, if the mother starts out as ante partum service with a medical care code of 1, and then changes to maternity because the birth is happening, do you need another transaction that tells you it is now a maternity code 69?

The UM03 value should always reflect the Service Type of the admission. A pregnant woman, receiving non-maternity medical care, should be sent with a value 1. A pregnant woman, receiving non-maternity care, who goes into labor, should also be sent with a value 1. A value of 69 should be sent for routine maternity admission only.

15. What if a data element does not match UnitedHealthcare's database? For example, if the patient's name is misspelled?

We have implemented changes to the matching logic to minimize the need for resubmission and be as "forgiving" as possible without creating inappropriate matches. However, if a data element, used for facility, physician, or member does not match the information in our database, it is possible that the transaction will be rejected and require resubmission. The match is dependent on the specific data element and where it falls in our matching logic. For example, to find a member, UnitedHealthcare will first match on the Member ID and the first 3 alpha-only characters of the last and first names of the member. If there is a match, the file will continue processing. Scenarios for each type of data element vary.

16. How often can a facility submit a batch submission?

There is no restriction on how many batches may be sent in a single day. We recommend hospitals submit a batch at least twice per day.

17. What is the difference between the 278N response and a 278ACK?

The 278NBACK is the first response you will receive and contains a batch of responses to each submission notification. If the 278NBACK contains an AAA segment error of "42" in AAA03 and a "Y" in AAA04 (indicating a delay in processing) for any of the submissions, you will get a second file called 278NACK once the submissions are processed. This 278NACK will contain the responses for those submissions that were delayed and queued up and finally processed.

18. Is there an identifying factor that can be used to distinguish between the first 997 file and the potential second 997 file? If they are not picked up sequentially by the hospital, they may be processed out of order.

The first 997 will be named distinctively different from any subsequent 997s contained within the batched 278NBACK file. For example, the first response file is named:

N_278NB997_000000004_ABC123456789_01102008142034.res.pgp

The second file you might receive can have 997s in it but will be a batch named:

N_278NBACK_000000004_ABC123456789_01102008142034.res.pgp

19. Could there be multiple AAA segments if there are multiple errors?

Yes, but on different loops. Not common for admission notification transactions.